

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110619\
 Data File : VN059098.D
 Acq On : 6 Nov 2019 11:29
 Operator : JC/SP
 Sample : VSTDICV050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 ICVVN110619

Quant Time: Nov 07 04:10:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N110619W.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 07 04:00:41 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	107	0.00
2 T	Dichlorodifluoromethane	0.504	0.476	5.6	105	0.00
3 P	Chloromethane	0.685	0.627	8.5	105	0.00
4 C	Vinyl Chloride	0.664	0.622	6.3#	104	0.00
5 T	Bromomethane	0.382	0.362	5.2	106	0.00
6 T	Chloroethane	0.393	0.359	8.7	103	0.00
7 T	Trichlorofluoromethane	0.794	0.745	6.2	102	0.00
8 T	Diethyl Ether	0.323	0.309	4.3	104	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.479	0.455	5.0	104	0.00
10 T	Methyl Iodide	0.593	0.568	4.2	102	0.00
11 T	Tert butyl alcohol	0.117	0.113	3.4	107	0.00
12 CM	1,1-Dichloroethene	0.466	0.444	4.7#	104	0.00
13 T	Acrolein	0.060	0.062	-3.3	113	0.00
14 T	Allyl chloride	0.958	0.895	6.6	104	0.00
15 T	Acrylonitrile	0.292	0.295	-1.0	106	0.00
16 T	Acetone	0.320	0.329	-2.8	103	0.00
17 T	Carbon Disulfide	1.448	1.320	8.8	104	0.00
18 T	Methyl Acetate	0.759	0.749	1.3	107	0.00
19 T	Methyl tert-butyl Ether	1.606	1.571	2.2	104	0.00
20 T	Methylene Chloride	0.557	0.515	7.5	103	0.00
21 T	trans-1,2-Dichloroethene	0.501	0.477	4.8	104	0.00
22 T	Diisopropyl ether	1.810	1.752	3.2	103	0.00
23 T	Vinyl Acetate	1.403	1.476	-5.2	104	0.00
24 P	1,1-Dichloroethane	1.011	0.964	4.6	104	0.00
25 T	2-Butanone	0.421	0.431	-2.4	105	0.00
26 T	2,2-Dichloropropane	0.884	0.814	7.9	103	0.00
27 T	cis-1,2-Dichloroethene	0.581	0.554	4.6	103	0.00
28 T	Bromochloromethane	0.304	0.290	4.6	106	0.00
29 T	Tetrahydrofuran	0.268	0.269	-0.4	105	0.00
30 C	Chloroform	0.970	0.909	6.3#	103	0.00
31 T	Cyclohexane	0.957	0.890	7.0	104	0.00
32 T	1,1,1-Trichloroethane	0.815	0.780	4.3	102	0.00
33 S	1,2-Dichloroethane-d4	0.615	0.603	2.0	110	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	107	0.00
35 S	Dibromofluoromethane	0.299	0.299	0.0	110	0.00
36 T	1,1-Dichloropropene	0.467	0.455	2.6	105	0.00
37 T	Ethyl Acetate	0.520	0.522	-0.4	105	0.00
38 T	Carbon Tetrachloride	0.465	0.442	4.9	103	0.00
39 T	Methylcyclohexane	0.542	0.547	-0.9	106	0.00
40 TM	Benzene	1.407	1.361	3.3	104	0.00
41 T	Methacrylonitrile	0.226	0.240	-6.2	103	0.00
42 TM	1,2-Dichloroethane	0.483	0.458	5.2	102	0.00
43 T	Isopropyl Acetate	0.829	0.813	1.9	105	0.00
44 TM	Trichloroethene	0.346	0.336	2.9	105	0.00
45 C	1,2-Dichloropropane	0.382	0.369	3.4#	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110619\
 Data File : VN059098.D
 Acq On : 6 Nov 2019 11:29
 Operator : JC/SP
 Sample : VSTDICV050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 ICVVN110619

Quant Time: Nov 07 04:10:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N110619W.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 07 04:00:41 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.238	0.223	6.3	103	0.00
47 T	Bromodichloromethane	0.476	0.466	2.1	104	0.00
48 T	Methyl methacrylate	0.371	0.370	0.3	104	0.00
49 T	1,4-Dioxane	0.007	0.007	0.0	113	0.00
50 S	Toluene-d8	1.176	1.191	-1.3	110	0.00
51 T	4-Methyl-2-Pentanone	0.469	0.512	-9.2	105	0.00
52 CM	Toluene	0.844	0.829	1.8#	105	0.00
53 T	t-1,3-Dichloropropene	0.550	0.540	1.8	105	0.00
54 T	cis-1,3-Dichloropropene	0.591	0.587	0.7	105	0.00
55 T	1,1,2-Trichloroethane	0.341	0.327	4.1	104	0.00
56 T	Ethyl methacrylate	0.507	0.536	-5.7	106	0.00
57 T	1,3-Dichloropropane	0.588	0.577	1.9	105	0.00
58 T	2-Chloroethyl Vinyl ether	0.190	0.217	-14.2	107	0.00
59 T	2-Hexanone	0.360	0.396	-10.0	105	0.00
60 T	Dibromochloromethane	0.361	0.354	1.9	104	0.00
61 T	1,2-Dibromoethane	0.346	0.336	2.9	104	0.00
62 S	4-Bromofluorobenzene	0.424	0.439	-3.5	114	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	106	0.00
64 T	Tetrachloroethene	0.340	0.324	4.7	105	0.00
65 PM	Chlorobenzene	0.975	0.950	2.6	105	0.00
66 T	1,1,1,2-Tetrachloroethane	0.366	0.355	3.0	105	0.00
67 C	Ethyl Benzene	1.729	1.754	-1.4#	105	0.00
68 T	m/p-Xylenes	0.648	0.651	-0.5	104	0.00
69 T	o-Xylene	0.626	0.617	1.4	104	0.00
70 T	Styrene	0.985	1.045	-6.1	106	0.00
71 P	Bromoform	0.284	0.284	0.0	104	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	106	0.00
73 T	Isopropylbenzene	3.637	3.550	2.4	105	0.00
74 T	N-amyl acetate	1.541	1.599	-3.8	106	0.00
75 P	1,1,2,2-Tetrachloroethane	1.239	1.172	5.4	104	0.00
76 T	1,2,3-Trichloropropane	1.138	1.059	6.9	109	0.00
77 T	Bromobenzene	0.914	0.847	7.3	103	0.00
78 T	n-propylbenzene	4.164	4.215	-1.2	105	0.00
79 T	2-Chlorotoluene	2.583	2.470	4.4	105	0.00
80 T	1,3,5-Trimethylbenzene	3.082	3.018	2.1	104	0.00
81 T	trans-1,4-Dichloro-2-butene	0.431	0.437	-1.4	108	0.00
82 T	4-Chlorotoluene	2.591	2.541	1.9	105	0.00
83 T	tert-Butylbenzene	2.661	2.593	2.6	105	0.00
84 T	1,2,4-Trimethylbenzene	2.982	3.002	-0.7	105	0.00
85 T	sec-Butylbenzene	3.461	3.468	-0.2	105	0.00
86 T	p-Isopropyltoluene	3.056	3.159	-3.4	106	0.00
87 T	1,3-Dichlorobenzene	1.565	1.518	3.0	105	0.00
88 T	1,4-Dichlorobenzene	1.566	1.510	3.6	106	0.00
89 T	n-Butylbenzene	2.675	2.783	-4.0	107	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN110619\
Data File : VN059098.D
Acq On : 6 Nov 2019 11:29
Operator : JC/SP
Sample : VSTDICV050
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
ICVVN110619

Quant Time: Nov 07 04:10:56 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N110619W.M
Quant Title : SW846 8260
QLast Update : Thu Nov 07 04:00:41 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.614	0.571	7.0	105	0.00
91 T	1,2-Dichlorobenzene	1.539	1.491	3.1	104	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.280	0.245	12.5	108	0.00
93 T	1,2,4-Trichlorobenzene	0.825	0.880	-6.7	110	0.00
94 T	Hexachlorobutadiene	0.531	0.499	6.0	106	0.00
95 T	Naphthalene	2.265	2.466	-8.9	113	0.00
96 T	1,2,3-Trichlorobenzene	0.863	0.868	-0.6	108	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6