

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN111124\  
 Data File : VN084777.D  
 Acq On : 11 Nov 2024 17:18  
 Operator : JC\MD  
 Sample : P4771-06  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 17 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 P-1

Quant Time: Nov 12 00:35:13 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N103024W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Oct 31 18:45:38 2024  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 8.224  | 168   | 163735   | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 9.100  | 114   | 295244   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 11.865 | 117   | 270514   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.788 | 152   | 123949   | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 8.577  | 65    | 117478   | 49.676   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =      | 99.360%  |
| 35) Dibromofluoromethane    | 8.159  | 113   | 95331    | 47.703   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =      | 95.400%  |
| 50) Toluene-d8              | 10.565 | 98    | 343719   | 46.691   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =      | 93.380%  |
| 62) 4-Bromofluorobenzene    | 12.847 | 95    | 136214   | 49.509   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 77 - 121 | Recovery | =      | 99.020%  |
| Target Compounds            |        |       |          |          |        |          |
| 16) Acetone                 | 4.430  | 43    | 23420    | 31.794   | ug/l   | 96       |
| 43) Isopropyl Acetate       | 8.688  | 43    | 162971   | 34.787   | ug/l # | 77       |
| -----                       |        |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN111124\  
Data File : VN084777.D  
Acq On : 11 Nov 2024 17:18  
Operator : JC\MD  
Sample : P4771-06  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 17 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
P-1

Quant Time: Nov 12 00:35:13 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N103024W.M  
Quant Title : SW846 8260  
QLast Update : Thu Oct 31 18:45:38 2024  
Response via : Initial Calibration

