

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN111220\  
 Data File : VN064590.D  
 Acq On : 12 Nov 2020 18:51  
 Operator : JC/MD  
 Sample : L4701-19  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 21 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 TRANSFORMER-5-3-TOP

Quant Time: Nov 13 03:52:30 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N110420W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Nov 04 12:09:03 2020  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|--------|---------|----------|
| 1) Pentafluorobenzene       | 7.63  | 168  | 223462   | 50.00  | ug/l    | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.55  | 114  | 480060   | 50.00  | ug/l    | 0.00     |
| 63) Chlorobenzene-d5        | 11.38 | 117  | 522598   | 50.00  | ug/l    | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.32 | 152  | 183082   | 50.00  | ug/l    | 0.00     |
| System Monitoring Compounds |       |      |          |        |         |          |
| 33) 1,2-Dichloroethane-d4   | 7.99  | 65   | 228863   | 58.80  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 117.60% |          |
| 35) Dibromofluoromethane    | 7.55  | 113  | 168800   | 51.64  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 103.28% |          |
| 50) Toluene-d8              | 10.06 | 98   | 627707   | 49.69  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 99.38%  |          |
| 62) 4-Bromofluorobenzene    | 12.38 | 95   | 231084   | 48.37  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 96.74%  |          |
| Target Compounds            |       |      |          |        |         |          |
| 16) Acetone                 | 3.79  | 43   | 17197    | 11.599 | ug/l    | 100      |
| 18) Methyl Acetate          | 4.29  | 43   | 6495     | 2.228  | ug/l #  | 86       |
| 20) Methylene Chloride      | 4.50  | 84   | 8521     | 2.897  | ug/l    | 88       |
| 43) Isopropyl Acetate       | 8.13  | 43   | 83412    | 10.149 | ug/l    | 99       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN111220\  
Data File : VN064590.D  
Acq On : 12 Nov 2020 18:51  
Operator : JC/MD  
Sample : L4701-19  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 21 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
TRANSFORMER-5-3-TOP

Quant Time: Nov 13 03:52:30 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_N\METHODS\82N110420W.M  
Quant Title : SW846 8260  
QLast Update : Wed Nov 04 12:09:03 2020  
Response via : Initial Calibration

