

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN111220\
 Data File : VN064596.D
 Acq On : 12 Nov 2020 21:17
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 13 04:04:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N110420W.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 04 12:09:03 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	89	0.00
2 T	Dichlorodifluoromethane	0.651	0.577	11.4	74	0.00
3 P	Chloromethane	0.791	0.689	12.9	76	0.00
4 C	Vinyl Chloride	0.812	0.769	5.3#	81	0.00
5 T	Bromomethane	0.519	0.502	3.3	82	0.00
6 T	Chloroethane	0.520	0.529	-1.7	88	0.00
7 T	Trichlorofluoromethane	1.195	1.225	-2.5	87	0.00
8 T	Diethyl Ether	0.422	0.445	-5.5	90	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.568	0.530	6.7	81	0.00
10 T	Methyl Iodide	0.660	0.669	-1.4	84	0.00
11 T	Tert butyl alcohol	0.096	0.107	-11.5	91	0.02
12 CM	1,1-Dichloroethene	0.535	0.508	5.0#	80	0.00
13 T	Acrolein	0.060	0.059	1.7	88	0.00
14 T	Allyl chloride	1.046	0.970	7.3	77	0.00
15 T	Acrylonitrile	0.267	0.301	-12.7	88	0.00
16 T	Acetone	0.332	0.283	14.8	71	0.00
17 T	Carbon Disulfide	1.599	1.484	7.2	78	0.00
18 T	Methyl Acetate	0.652	0.789	-21.0	106	0.00
19 T	Methyl tert-butyl Ether	1.925	1.904	1.1	81	0.00
20 T	Methylene Chloride	0.658	0.633	3.8	85	0.00
21 T	trans-1,2-Dichloroethene	0.607	0.582	4.1	80	0.00
22 T	Diisopropyl ether	2.220	2.176	2.0	80	0.00
23 T	Vinyl Acetate	1.806	1.815	-0.5	79	0.00
24 P	1,1-Dichloroethane	1.220	1.188	2.6	81	0.00
25 T	2-Butanone	0.423	0.435	-2.8	82	0.00
26 T	2,2-Dichloropropane	1.105	0.887	19.7	67	0.00
27 T	cis-1,2-Dichloroethene	0.704	0.672	4.5	80	0.00
28 T	Bromochloromethane	0.600	0.577	3.8	97	0.00
29 T	Tetrahydrofuran	0.259	0.289	-11.6	90	0.00
30 C	Chloroform	1.283	1.302	-1.5#	84	0.00
31 T	Cyclohexane	1.059	0.899	15.1	73	0.00
32 T	1,1,1-Trichloroethane	1.138	1.147	-0.8	85	0.00
33 S	1,2-Dichloroethane-d4	0.871	0.873	-0.2	93	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	92	0.00
35 S	Dibromofluoromethane	0.340	0.337	0.9	95	0.00
36 T	1,1-Dichloropropene	0.528	0.495	6.3	79	0.00
37 T	Ethyl Acetate	0.472	0.516	-9.3	86	0.00
38 T	Carbon Tetrachloride	0.565	0.557	1.4	85	0.00
39 T	Methylcyclohexane	0.474	0.417	12.0	74	0.00
40 TM	Benzene	1.552	1.479	4.7	83	0.00
41 T	Methacrylonitrile	0.234	0.227	3.0	92	0.00
42 TM	1,2-Dichloroethane	0.626	0.619	1.1	84	0.00
43 T	Isopropyl Acetate	0.856	0.869	-1.5	85	0.00
44 TM	Trichloroethene	0.392	0.360	8.2	80	0.00
45 C	1,2-Dichloropropane	0.414	0.400	3.4#	82	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN111220\
 Data File : VN064596.D
 Acq On : 12 Nov 2020 21:17
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 13 04:04:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N110420W.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 04 12:09:03 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.273	0.284	-4.0	89	0.00
47 T	Bromodichloromethane	0.586	0.595	-1.5	87	0.00
48 T	Methyl methacrylate	0.432	0.449	-3.9	87	0.00
49 T	1,4-Dioxane	0.006	0.007	-16.7	99	0.00
50 S	Toluene-d8	1.316	1.251	4.9	90	0.00
51 T	4-Methyl-2-Pentanone	0.499	0.558	-11.8	90	0.00
52 CM	Toluene	0.947	0.932	1.6#	82	0.00
53 T	t-1,3-Dichloropropene	0.621	0.605	2.6	79	0.00
54 T	cis-1,3-Dichloropropene	0.664	0.634	4.5	79	0.00
55 T	1,1,2-Trichloroethane	0.369	0.375	-1.6	86	0.00
56 T	Ethyl methacrylate	0.535	0.547	-2.2	82	0.00
57 T	1,3-Dichloropropane	0.644	0.652	-1.2	86	0.00
58 T	2-Chloroethyl Vinyl ether	0.253	0.296	-17.0	120	0.00
59 T	2-Hexanone	0.362	0.406	-12.2	88	0.00
60 T	Dibromochloromethane	0.413	0.444	-7.5	89	0.00
61 T	1,2-Dibromoethane	0.374	0.393	-5.1	87	0.00
62 S	4-Bromofluorobenzene	0.498	0.475	4.6	89	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	92	0.00
64 T	Tetrachloroethene	0.385	0.357	7.3	80	0.00
65 PM	Chlorobenzene	1.096	1.042	4.9	82	0.00
66 T	1,1,1,2-Tetrachloroethane	0.409	0.419	-2.4	87	0.00
67 C	Ethyl Benzene	1.950	1.908	2.2#	80	0.00
68 T	m/p-Xylenes	0.707	0.710	-0.4	82	0.00
69 T	o-Xylene	0.683	0.668	2.2	80	0.00
70 T	Styrene	1.150	1.189	-3.4	83	0.00
71 P	Bromoform	0.276	0.311	-12.7	91	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.00
73 T	Isopropylbenzene	3.974	3.632	8.6	82	0.00
74 T	N-amyl acetate	1.727	1.686	2.4	84	0.00
75 P	1,1,2,2-Tetrachloroethane	1.221	1.220	0.1	94	0.00
76 T	1,2,3-Trichloropropane	1.211	1.148	5.2	85	0.00
77 T	Bromobenzene	0.970	0.881	9.2	85	0.00
78 T	n-propylbenzene	4.531	4.248	6.2	83	0.00
79 T	2-Chlorotoluene	2.874	2.670	7.1	86	0.00
80 T	1,3,5-Trimethylbenzene	3.279	3.148	4.0	85	0.00
81 T	trans-1,4-Dichloro-2-butene	0.434	0.398	8.3	81	0.00
82 T	4-Chlorotoluene	3.009	2.814	6.5	84	0.00
83 T	tert-Butylbenzene	2.561	2.419	5.5	85	0.00
84 T	1,2,4-Trimethylbenzene	3.296	3.172	3.8	84	0.00
85 T	sec-Butylbenzene	3.243	3.190	1.6	86	0.00
86 T	p-Isopropyltoluene	2.917	2.868	1.7	85	0.00
87 T	1,3-Dichlorobenzene	1.677	1.585	5.5	85	0.00
88 T	1,4-Dichlorobenzene	1.733	1.564	9.8	84	0.00
89 T	n-Butylbenzene	2.508	2.366	5.7	81	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN111220\
Data File : VN064596.D
Acq On : 12 Nov 2020 21:17
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Nov 13 04:04:46 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N110420W.M
Quant Title : SW846 8260
QLast Update : Wed Nov 04 12:09:03 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.563	0.581	-3.2	92	0.00
91 T	1,2-Dichlorobenzene	1.613	1.591	1.4	88	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.243	0.267	-9.9	96	0.00
93 T	1,2,4-Trichlorobenzene	0.660	0.687	-4.1	84	0.00
94 T	Hexachlorobutadiene	0.328	0.344	-4.9	96	0.00
95 T	Naphthalene	2.152	2.302	-7.0	85	0.00
96 T	1,2,3-Trichlorobenzene	0.654	0.703	-7.5	90	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6