

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN111220\  
 Data File : VN064606.D  
 Acq On : 13 Nov 2020 2:32  
 Operator : JC/MD  
 Sample : PB132945ZHE#04  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 40 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 PB132945ZHE#04

Quant Time: Nov 13 04:37:11 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N110420W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Nov 04 12:09:03 2020  
 Response via : Initial Calibration


| Internal Standards          | R.T.  | QIon | Response | Conc   | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|--------|---------|----------|
| 1) Pentafluorobenzene       | 7.63  | 168  | 234446   | 50.00  | ug/l    | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.55  | 114  | 517173   | 50.00  | ug/l    | 0.00     |
| 63) Chlorobenzene-d5        | 11.38 | 117  | 549195   | 50.00  | ug/l    | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.32 | 152  | 198517   | 50.00  | ug/l    | 0.00     |
| System Monitoring Compounds |       |      |          |        |         |          |
| 33) 1,2-Dichloroethane-d4   | 7.99  | 65   | 233996   | 57.30  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 114.60% |          |
| 35) Dibromofluoromethane    | 7.55  | 113  | 171593   | 48.73  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 97.46%  |          |
| 50) Toluene-d8              | 10.06 | 98   | 664994   | 48.86  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 97.72%  |          |
| 62) 4-Bromofluorobenzene    | 12.38 | 95   | 250924   | 48.75  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 97.50%  |          |
| Target Compounds            |       |      |          |        |         |          |
| 16) Acetone                 | 3.79  | 43   | 13580    | 8.730  | ug/l    | 91       |
| 18) Methyl Acetate          | 4.29  | 43   | 6018     | 1.968  | ug/l #  | 86       |
| 20) Methylene Chloride      | 4.50  | 84   | 7160     | 2.320  | ug/l    | 87       |
| 43) Isopropyl Acetate       | 8.13  | 43   | 98421    | 11.116 | ug/l    | 99       |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN111220\  
Data File : VN064606.D  
Acq On : 13 Nov 2020 2:32  
Operator : JC/MD  
Sample : PB132945ZHE#04  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 40 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
PB132945ZHE#04

Quant Time: Nov 13 04:37:11 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_N\METHODS\82N110420W.M  
Quant Title : SW846 8260  
QLast Update : Wed Nov 04 12:09:03 2020  
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.63 min Scan# 1831

Delta R.T. 0.00 min

Lab File: VN064606.D

Acq: 13 Nov 2020 2:32

Instrument :

MSVOA\_N

ClientSampleId :


PB132945ZHE#04

Tot Ion:168 Resp: 234446

Ion Ratio Lower Upper




168 100

99 69.5 53.4 80.2



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VNO



#16

Acetone

Concen: 8.730 ug/l

RT: 3.79 min Scan# 636

Delta R.T. 0.01 min

Lab File: VN064606.D


Acq: 13 Nov 2020 2:32

Tgt Ion: 43 Resp: 13580

Ion Ratio Lower Upper



43 100


58 31.3 21.4 32.0



Abundance Ion 43.00 (42.70 to 43.70): VNO

Ion 58.00 (57.70 to 58.70): VNO









#18  
Methyl Acetate  
Concen: 1.968 ug/l  
RT: 4.29 min Scan# 794  
Delta R.T. 0.01 min  
Lab File: VN064606.D  
Acq: 13 Nov 2020 2:32




Instrument :  
MSVOA\_N  
ClientSampleId :  
PB132945ZHE#04


Tot Ion: 43 Resp: 6018  
Ion Ratio Lower Upper  
43 100  
74 14.4 17.0 25.4#



#20  
Methylene Chloride  
Concen: 2.320 ug/l  
RT: 4.50 min Scan# 859  
Delta R.T. -0.00 min  
Lab File: VN064606.D  
Acq: 13 Nov 2020 2:32

Tgt Ion: 84 Resp: 7160  
Ion Ratio Lower Upper  
84 100  
49 155.5 110.1 165.1  
51 38.5 33.6 50.4  
86 53.7 52.1 78.1









#33  
 1,2-Dichloroethane-d4  
 Concen: 57.300 ug/l  
 RT: 7.99 min Scan# 1943  
 Delta R.T. -0.00 min  
 Lab File: VN064606.D  
 Acq: 13 Nov 2020 2:32




Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 PB132945ZHE#04


Tot Ion: 65 Resp: 233996  
 Ion Ratio Lower Upper  
 65 100  
 67 49.6 0.0 101.6



#34  
 1,4-Difluorobenzene  
 Concen: 50.000 ug/l  
 RT: 8.55 min Scan# 2118  
 Delta R.T. -0.00 min  
 Lab File: VN064606.D  
 Acq: 13 Nov 2020 2:32

Tgt Ion: 114 Resp: 517173  
 Ion Ratio Lower Upper  
 114 100  
 63 22.9 0.0 45.6  
 88 16.6 0.0 32.8









#35  
 Dibromofluoromethane  
 Concen: 48.731 ug/l  
 RT: 7.55 min Scan# 1808  
 Delta R.T. 0.01 min  
 Lab File: VN064606.D  
 Acq: 13 Nov 2020 2:32

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 PB132945ZHE#04

Tot Ion:113 Resp: 171593  
 Ion Ratio Lower Upper  
 113 100  
 111 105.7 81.1 121.7  
 192 16.0 12.8 19.2




Abundance Ion 112.80 (112.50 to 113.50): V  
 Ion 110.80 (110.50 to 111.50): V  
 Ion 191.70 (191.40 to 192.40): V






#43  
 Isopropyl Acetate  
 Concen: 11.116 ug/l  
 RT: 8.13 min Scan# 1987  
 Delta R.T. 0.00 min  
 Lab File: VN064606.D  
 Acq: 13 Nov 2020 2:32

Tgt Ion: 43 Resp: 98421  
 Ion Ratio Lower Upper  
 43 100  
 61 17.4 14.0 21.0  
 87 11.9 9.1 13.7



Abundance Ion 43.00 (42.70 to 43.70): VNO  
 Ion 61.00 (60.70 to 61.70): VNO  
 Ion 87.00 (86.70 to 87.70): VNO





#50

Toluene-d8

Concen: 48.862 ug/l

RT: 10.06 min Scan# 2588

Delta R.T. 0.00 min

Lab File: VN064606.D

Acq: 13 Nov 2020 2:32

Instrument :

MSVOA\_N

ClientSampleId :


PB132945ZHE#04

Tot Ion: 98 Resp: 664994

Ion Ratio Lower Upper

98 100

100 63.4 50.7 76.1



Abundance Ion 98.00 (97.70 to 98.70): VN064428.D (-2571) (-)

Ion 100.00 (99.70 to 100.70): VN064428.D (-2571) (-)

10.06

400000



300000

200000

100000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 48.752 ug/l

RT: 12.38 min Scan# 3308

Delta R.T. 0.00 min

Lab File: VN064606.D

Acq: 13 Nov 2020 2:32


Tgt Ion: 95 Resp: 250924

Ion Ratio Lower Upper

95 100

174 70.3 0.0 132.6

176 66.4 0.0 129.2



Abundance Ion 94.90 (94.60 to 95.60): VN064428.D (-3293) (-)

Ion 173.80 (173.50 to 174.50): VN064428.D (-3293) (-)

Ion 175.80 (175.50 to 176.50): VN064428.D (-3293) (-)

12.38

200000


150000


100000

50000

0

Time-->









#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.38 min Scan# 2998  
Delta R.T. -0.00 min  
Lab File: VN064606.D  
Acq: 13 Nov 2020 2:32

Instrument :  
MSVOA\_N  
ClientSampleId :  
PB132945ZHE#04

Tot Ion:117 Resp: 549195  
Ion Ratio Lower Upper  
117 100  
82 60.0 48.1 72.1  
119 32.5 26.2 39.4



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.32 min Scan# 3601  
Delta R.T. 0.00 min  
Lab File: VN064606.D  
Acq: 13 Nov 2020 2:32

Tgt Ion:152 Resp: 198517  
Ion Ratio Lower Upper  
152 100  
115 65.6 32.0 96.0  
150 158.9 0.0 353.8

