

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_N\DATA\VN112018\
 Data File : VN052424.D
 Acq On : 20 Nov 2018 22:38
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 27 Sample Multiplier: 28

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 21 01:03:04 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N111418W.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 15 03:02:37 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	96	0.00
2 T	Dichlorodifluoromethane	0.530	0.511	3.6	89	0.00
3 P	Chloromethane	0.736	0.712	3.3	91	0.00
4 C	Vinyl Chloride	0.636	0.617	3.0#	93	0.00
5 T	Bromomethane	0.397	0.298	24.9	76	0.00
6 T	Chloroethane	0.360	0.353	1.9	94	0.00
7 T	Trichlorofluoromethane	0.881	0.893	-1.4	98	0.00
8 T	Diethyl Ether	0.336	0.327	2.7	94	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.556	0.517	7.0	91	0.00
10 T	Methyl Iodide	0.747	0.630	15.7	80	0.00
11 T	Tert butyl alcohol	0.037	0.036	2.7	99	0.00
12 CM	1,1-Dichloroethene	0.515	0.475	7.8#	91	0.00
13 T	Acrolein	0.052	0.073	-40.4#	128	0.00
14 T	Allyl chloride	1.057	0.999	5.5	90	0.00
15 T	Acrylonitrile	0.213	0.216	-1.4	96	0.00
16 T	Acetone	0.194	0.173	10.8	88	0.00
17 T	Carbon Disulfide	1.476	1.414	4.2	91	0.00
18 T	Methyl Acetate	0.579	0.577	0.3	104	0.00
19 T	Methyl tert-butyl Ether	1.479	1.525	-3.1	97	0.00
20 T	Methylene Chloride	0.647	0.616	4.8	99	0.00
21 T	trans-1,2-Dichloroethene	0.554	0.519	6.3	92	0.00
22 T	Diisopropyl ether	2.156	2.277	-5.6	100	0.00
23 T	Vinyl Acetate	1.463	1.500	-2.5	93	0.00
24 P	1,1-Dichloroethane	1.156	1.171	-1.3	100	0.00
25 T	2-Butanone	0.274	0.274	0.0	96	0.00
26 T	2,2-Dichloropropane	0.850	0.736	13.4	82	0.00
27 T	cis-1,2-Dichloroethene	0.645	0.614	4.8	92	0.00
28 T	Bromochloromethane	0.595	0.598	-0.5	98	0.00
29 T	Tetrahydrofuran	0.180	0.187	-3.9	100	0.00
30 C	Chloroform	1.102	1.149	-4.3#	101	0.00
31 T	Cyclohexane	1.341	1.030	23.2	93	0.00
32 T	1,1,1-Trichloroethane	0.939	0.974	-3.7	101	0.00
33 S	1,2-Dichloroethane-d4	0.706	0.792	-12.2	109	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	96	0.00
35 S	Dibromofluoromethane	0.322	0.344	-6.8	100	0.00
36 T	1,1-Dichloropropene	0.501	0.512	-2.2	97	0.00
37 T	Ethyl Acetate	0.364	0.373	-2.5	95	0.00
38 T	Carbon Tetrachloride	0.460	0.499	-8.5	100	0.00
39 T	Methylcyclohexane	0.572	0.547	4.4	91	0.00
40 TM	Benzene	1.432	1.437	-0.3	95	0.00
41 T	Methacrylonitrile	0.208	0.214	-2.9	108	0.00
42 TM	1,2-Dichloroethane	0.511	0.569	-11.4	108	0.00
43 T	Isopropyl Acetate	0.702	0.713	-1.6	100	0.00
44 TM	Trichloroethene	0.353	0.349	1.1	93	0.00
45 C	1,2-Dichloropropane	0.406	0.414	-2.0#	100	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_N\DATA\VN112018\
 Data File : VN052424.D
 Acq On : 20 Nov 2018 22:38
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 27 Sample Multiplier: 28

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 21 01:03:04 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N111418W.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 15 03:02:37 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.235	0.245	-4.3	98	0.00
47 T	Bromodichloromethane	0.483	0.538	-11.4	105	0.00
48 T	Methyl methacrylate	0.356	0.357	-0.3	98	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	94	0.00
50 S	Toluene-d8	1.269	1.292	-1.8	97	0.00
51 T	4-Methyl-2-Pentanone	0.353	0.388	-9.9	101	0.00
52 CM	Toluene	0.856	0.878	-2.6#	96	0.00
53 T	t-1,3-Dichloropropene	0.487	0.503	-3.3	94	0.00
54 T	cis-1,3-Dichloropropene	0.555	0.580	-4.5	95	0.00
55 T	1,1,2-Trichloroethane	0.310	0.317	-2.3	98	0.00
56 T	Ethyl methacrylate	0.408	0.418	-2.5	93	0.00
57 T	1,3-Dichloropropane	0.550	0.577	-4.9	98	0.00
58 T	2-Chloroethyl Vinyl ether	0.232	0.248	-6.9	97	0.00
59 T	2-Hexanone	0.243	0.261	-7.4	99	0.00
60 T	Dibromochloromethane	0.336	0.364	-8.3	101	0.00
61 T	1,2-Dibromoethane	0.309	0.308	0.3	93	0.00
62 S	4-Bromofluorobenzene	0.417	0.453	-8.6	100	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	96	0.00
64 T	Tetrachloroethene	0.355	0.354	0.3	98	0.00
65 PM	Chlorobenzene	1.057	1.052	0.5	96	0.00
66 T	1,1,1,2-Tetrachloroethane	0.360	0.378	-5.0	97	0.00
67 C	Ethyl Benzene	1.834	1.907	-4.0#	97	0.00
68 T	m/p-Xylenes	0.670	0.701	-4.6	95	0.00
69 T	o-Xylene	0.642	0.684	-6.5	96	0.00
70 T	Styrene	1.029	1.118	-8.6	97	0.00
71 P	Bromoform	0.213	0.245	-15.0	104	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.00
73 T	Isopropylbenzene	4.020	3.990	0.7	99	0.00
74 T	N-amyl acetate	1.432	1.407	1.7	91	0.00
75 P	1,1,2,2-Tetrachloroethane	0.972	0.940	3.3	98	0.00
76 T	1,2,3-Trichloropropane	0.848	0.812	4.2	94	0.00
77 T	Bromobenzene	0.935	0.896	4.2	95	0.00
78 T	n-propylbenzene	4.701	4.724	-0.5	97	0.00
79 T	2-Chlorotoluene	2.747	2.752	-0.2	100	0.00
80 T	1,3,5-Trimethylbenzene	3.197	3.267	-2.2	98	0.00
81 T	trans-1,4-Dichloro-2-butene	0.262	0.246	6.1	91	0.00
82 T	4-Chlorotoluene	2.814	2.803	0.4	99	0.00
83 T	tert-Butylbenzene	2.822	2.785	1.3	97	0.00
84 T	1,2,4-Trimethylbenzene	3.209	3.295	-2.7	97	0.00
85 T	sec-Butylbenzene	3.845	3.904	-1.5	97	0.00
86 T	p-Isopropyltoluene	3.257	3.346	-2.7	98	0.00
87 T	1,3-Dichlorobenzene	1.661	1.638	1.4	97	0.00
88 T	1,4-Dichlorobenzene	1.652	1.632	1.2	98	0.00
89 T	n-Butylbenzene	2.797	2.959	-5.8	97	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_N\DATA\VN112018\
Data File : VN052424.D
Acq On : 20 Nov 2018 22:38
Operator : MD\SY
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 27 Sample Multiplier: 28

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Nov 21 01:03:04 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N111418W.M
Quant Title : SW846 8260
QLast Update : Thu Nov 15 03:02:37 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.577	0.580	-0.5	98	0.00
91 T	1,2-Dichlorobenzene	1.609	1.617	-0.5	99	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.143	0.160	-11.9	111	0.00
93 T	1,2,4-Trichlorobenzene	0.662	0.726	-9.7	99	0.00
94 T	Hexachlorobutadiene	0.368	0.377	-2.4	101	0.00
95 T	Naphthalene	1.496	1.683	-12.5	95	0.00
96 T	1,2,3-Trichlorobenzene	0.612	0.667	-9.0	98	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6