

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN112025\
 Data File : VN088329.D
 Acq On : 20 Nov 2025 14:07
 Operator : JC\MD
 Sample : IBLK
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 IBLK

Quant Time: Nov 21 03:02:25 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N111325W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Fri Nov 14 00:49:21 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	7.800	128	58011	30.000	ug/l	0.00
28) 1,4-Difluorobenzene	9.082	114	282548	30.000	ug/l	0.00
57) Chlorobenzene-d5	11.847	117	249675	30.000	ug/l	0.00

System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	8.565	65	151698	28.628	ug/l	0.00
Spiked Amount	30.000	Range	91 - 110	Recovery	=	95.433%
60) 4-Bromofluorobenzene	12.829	95	114441	27.115	ug/l	0.00
Spiked Amount	30.000	Range	63 - 112	Recovery	=	90.367%
63) Toluene-d8	10.547	98	350923	29.688	ug/l	0.00
Spiked Amount	30.000	Range	91 - 112	Recovery	=	98.967%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN112025\
Data File : VN088329.D
Acq On : 20 Nov 2025 14:07
Operator : JC\MD
Sample : IBLK
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
IBLK

Quant Time: Nov 21 03:02:25 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N111325W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Fri Nov 14 00:49:21 2025
Response via : Initial Calibration

