

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_N\DATA\VN112118\
 Data File : VN052426.D
 Acq On : 21 Nov 2018 9:43
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 2 Sample Multiplier: 28

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 22 00:08:34 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N111418W.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 15 03:02:37 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	104	0.00
2 T	Dichlorodifluoromethane	0.530	0.500	5.7	94	0.00
3 P	Chloromethane	0.736	0.639	13.2	88	0.00
4 C	Vinyl Chloride	0.636	0.588	7.5#	97	0.00
5 T	Bromomethane	0.397	0.349	12.1	96	0.00
6 T	Chloroethane	0.360	0.341	5.3	99	0.00
7 T	Trichlorofluoromethane	0.881	0.904	-2.6	108	0.00
8 T	Diethyl Ether	0.336	0.289	14.0	90	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.556	0.533	4.1	102	0.00
10 T	Methyl Iodide	0.747	0.595	20.3	82	0.00
11 T	Tert butyl alcohol	0.037	0.027	27.0#	80	0.00
12 CM	1,1-Dichloroethene	0.515	0.458	11.1#	95	0.00
13 T	Acrolein	0.052	0.058	-11.5	111	0.00
14 T	Allyl chloride	1.057	1.039	1.7	102	0.00
15 T	Acrylonitrile	0.213	0.184	13.6	89	0.00
16 T	Acetone	0.194	0.194	0.0	107	0.00
17 T	Carbon Disulfide	1.476	1.405	4.8	98	0.00
18 T	Methyl Acetate	0.579	0.484	16.4	95	0.00
19 T	Methyl tert-butyl Ether	1.479	1.355	8.4	94	0.00
20 T	Methylene Chloride	0.647	0.548	15.3	96	0.00
21 T	trans-1,2-Dichloroethene	0.554	0.508	8.3	97	0.00
22 T	Diisopropyl ether	2.156	2.158	-0.1	103	0.00
23 T	Vinyl Acetate	1.463	1.352	7.6	91	0.00
24 P	1,1-Dichloroethane	1.156	1.107	4.2	102	0.00
25 T	2-Butanone	0.274	0.251	8.4	95	0.00
26 T	2,2-Dichloropropane	0.850	0.826	2.8	100	0.00
27 T	cis-1,2-Dichloroethene	0.645	0.599	7.1	98	0.00
28 T	Bromochloromethane	0.595	0.587	1.3	105	0.00
29 T	Tetrahydrofuran	0.180	0.151	16.1	88	0.00
30 C	Chloroform	1.102	1.103	-0.1#	105	0.00
31 T	Cyclohexane	1.341	1.038	22.6	102	0.00
32 T	1,1,1-Trichloroethane	0.939	0.930	1.0	105	0.00
33 S	1,2-Dichloroethane-d4	0.706	0.729	-3.3	109	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	103	0.00
35 S	Dibromofluoromethane	0.322	0.325	-0.9	101	0.00
36 T	1,1-Dichloropropene	0.501	0.516	-3.0	104	0.00
37 T	Ethyl Acetate	0.364	0.312	14.3	85	0.00
38 T	Carbon Tetrachloride	0.460	0.488	-6.1	104	0.00
39 T	Methylcyclohexane	0.572	0.587	-2.6	104	0.00
40 TM	Benzene	1.432	1.401	2.2	99	0.00
41 T	Methacrylonitrile	0.208	0.175	15.9	94	0.00
42 TM	1,2-Dichloroethane	0.511	0.549	-7.4	111	0.00
43 T	Isopropyl Acetate	0.702	0.588	16.2	88	0.00
44 TM	Trichloroethene	0.353	0.352	0.3	100	0.00
45 C	1,2-Dichloropropane	0.406	0.398	2.0#	102	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_N\DATA\VN112118\
 Data File : VN052426.D
 Acq On : 21 Nov 2018 9:43
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 2 Sample Multiplier: 28

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 22 00:08:34 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N111418W.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 15 03:02:37 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.235	0.228	3.0	97	0.00
47 T	Bromodichloromethane	0.483	0.519	-7.5	108	0.00
48 T	Methyl methacrylate	0.356	0.305	14.3	90	0.00
49 T	1,4-Dioxane	0.003	0.002	33.3#	82	0.00
50 S	Toluene-d8	1.269	1.271	-0.2	102	0.00
51 T	4-Methyl-2-Pentanone	0.353	0.329	6.8	92	0.00
52 CM	Toluene	0.856	0.860	-0.5#	101	0.00
53 T	t-1,3-Dichloropropene	0.487	0.487	0.0	97	0.00
54 T	cis-1,3-Dichloropropene	0.555	0.572	-3.1	101	0.00
55 T	1,1,2-Trichloroethane	0.310	0.296	4.5	98	0.00
56 T	Ethyl methacrylate	0.408	0.371	9.1	88	0.00
57 T	1,3-Dichloropropane	0.550	0.542	1.5	98	0.00
58 T	2-Chloroethyl Vinyl ether	0.232	0.226	2.6	94	0.00
59 T	2-Hexanone	0.243	0.230	5.3	93	0.00
60 T	Dibromochloromethane	0.336	0.344	-2.4	102	0.00
61 T	1,2-Dibromoethane	0.309	0.288	6.8	93	0.00
62 S	4-Bromofluorobenzene	0.417	0.442	-6.0	105	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	102	0.00
64 T	Tetrachloroethene	0.355	0.354	0.3	104	0.00
65 PM	Chlorobenzene	1.057	1.050	0.7	102	0.00
66 T	1,1,1,2-Tetrachloroethane	0.360	0.364	-1.1	99	0.00
67 C	Ethyl Benzene	1.834	1.896	-3.4#	103	0.00
68 T	m/p-Xylenes	0.670	0.699	-4.3	101	0.00
69 T	o-Xylene	0.642	0.671	-4.5	101	0.00
70 T	Styrene	1.029	1.099	-6.8	102	0.00
71 P	Bromoform	0.213	0.221	-3.8	100	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	103	0.00
73 T	Isopropylbenzene	4.020	4.001	0.5	105	0.00
74 T	N-amyl acetate	1.432	1.169	18.4	80	0.00
75 P	1,1,2,2-Tetrachloroethane	0.972	0.843	13.3	92	0.00
76 T	1,2,3-Trichloropropane	0.848	0.739	12.9	90	0.00
77 T	Bromobenzene	0.935	0.880	5.9	99	0.00
78 T	n-propylbenzene	4.701	4.803	-2.2	104	0.00
79 T	2-Chlorotoluene	2.747	2.720	1.0	104	0.00
80 T	1,3,5-Trimethylbenzene	3.197	3.260	-2.0	103	0.00
81 T	trans-1,4-Dichloro-2-butene	0.262	0.230	12.2	89	0.00
82 T	4-Chlorotoluene	2.814	2.813	0.0	105	0.00
83 T	tert-Butylbenzene	2.822	2.852	-1.1	105	0.00
84 T	1,2,4-Trimethylbenzene	3.209	3.300	-2.8	103	0.00
85 T	sec-Butylbenzene	3.845	3.977	-3.4	104	0.00
86 T	p-Isopropyltoluene	3.257	3.393	-4.2	105	0.00
87 T	1,3-Dichlorobenzene	1.661	1.643	1.1	103	0.00
88 T	1,4-Dichlorobenzene	1.652	1.591	3.7	101	0.00
89 T	n-Butylbenzene	2.797	3.089	-10.4	107	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_N\DATA\VN112118\
Data File : VN052426.D
Acq On : 21 Nov 2018 9:43
Operator : MD\SY
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 2 Sample Multiplier: 28

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Nov 22 00:08:34 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N111418W.M
Quant Title : SW846 8260
QLast Update : Thu Nov 15 03:02:37 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.577	0.600	-4.0	107	0.00
91 T	1,2-Dichlorobenzene	1.609	1.555	3.4	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.143	0.131	8.4	96	0.00
93 T	1,2,4-Trichlorobenzene	0.662	0.730	-10.3	105	0.00
94 T	Hexachlorobutadiene	0.368	0.390	-6.0	111	0.00
95 T	Naphthalene	1.496	1.478	1.2	88	0.00
96 T	1,2,3-Trichlorobenzene	0.612	0.637	-4.1	99	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6