

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN112525\
 Data File : VN088356.D
 Acq On : 25 Nov 2025 12:31
 Operator : JC\MD
 Sample : VN1125WBL01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 VN1125WBL01

Quant Time: Nov 26 00:18:23 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N111325W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Fri Nov 14 00:49:21 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	7.800	128	55920	30.000	ug/l	0.00
28) 1,4-Difluorobenzene	9.082	114	279977	30.000	ug/l	0.00
57) Chlorobenzene-d5	11.847	117	244619	30.000	ug/l	0.00

System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	8.559	65	144661	28.321	ug/l	0.00
Spiked Amount	30.000	Range	91 - 110	Recovery	=	94.400%
60) 4-Bromofluorobenzene	12.829	95	104152	25.187	ug/l	0.00
Spiked Amount	30.000	Range	63 - 112	Recovery	=	83.967%
63) Toluene-d8	10.547	98	345623	29.844	ug/l	0.00
Spiked Amount	30.000	Range	91 - 112	Recovery	=	99.467%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN112525\
Data File : VN088356.D
Acq On : 25 Nov 2025 12:31
Operator : JC\MD
Sample : VN1125WBL01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
VN1125WBL01

Quant Time: Nov 26 00:18:23 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N111325W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Fri Nov 14 00:49:21 2025
Response via : Initial Calibration

