

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN112619\
 Data File : VN059415.D
 Acq On : 26 Nov 2019 18:25
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 27 02:54:42 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N112019W.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 21 08:44:45 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	103	0.00
2 T	Dichlorodifluoromethane	0.640	0.565	11.7	86	0.00
3 P	Chloromethane	0.784	0.693	11.6	90	0.00
4 C	Vinyl Chloride	0.807	0.757	6.2#	91	0.00
5 T	Bromomethane	0.448	0.404	9.8	92	0.00
6 T	Chloroethane	0.441	0.395	10.4	95	0.00
7 T	Trichlorofluoromethane	0.869	0.816	6.1	96	0.00
8 T	Diethyl Ether	0.355	0.361	-1.7	103	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.532	0.514	3.4	98	0.00
10 T	Methyl Iodide	0.661	0.692	-4.7	101	0.00
11 T	Tert butyl alcohol	0.120	0.113	5.8	94	0.00
12 CM	1,1-Dichloroethene	0.540	0.513	5.0#	97	0.00
13 T	Acrolein	0.110	0.081	26.4#	75	0.00
14 T	Allyl chloride	1.008	0.951	5.7	95	0.00
15 T	Acrylonitrile	0.318	0.320	-0.6	100	0.00
16 T	Acetone	0.269	0.282	-4.8	106	0.00
17 T	Carbon Disulfide	1.820	1.522	16.4	90	0.00
18 T	Methyl Acetate	0.893	0.933	-4.5	103	0.00
19 T	Methyl tert-butyl Ether	1.743	1.774	-1.8	100	0.00
20 T	Methylene Chloride	0.607	0.583	4.0	100	0.00
21 T	trans-1,2-Dichloroethene	0.572	0.554	3.1	97	0.00
22 T	Diisopropyl ether	1.898	1.895	0.2	99	0.00
23 T	Vinyl Acetate	1.493	1.514	-1.4	98	0.00
24 P	1,1-Dichloroethane	1.068	1.058	0.9	98	0.00
25 T	2-Butanone	0.418	0.430	-2.9	101	0.00
26 T	2,2-Dichloropropane	0.925	0.867	6.3	96	0.00
27 T	cis-1,2-Dichloroethene	0.645	0.638	1.1	100	0.00
28 T	Bromochloromethane	0.367	0.418	-13.9	100	0.00
29 T	Tetrahydrofuran	0.289	0.288	0.3	98	0.00
30 C	Chloroform	1.109	1.022	7.8#	99	0.00
31 T	Cyclohexane	1.056	0.947	10.3	93	0.00
32 T	1,1,1-Trichloroethane	0.891	0.875	1.8	99	0.00
33 S	1,2-Dichloroethane-d4	0.600	0.565	5.8	93	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	102	0.00
35 S	Dibromofluoromethane	0.300	0.297	1.0	96	0.00
36 T	1,1-Dichloropropene	0.516	0.499	3.3	96	0.00
37 T	Ethyl Acetate	0.555	0.544	2.0	98	0.00
38 T	Carbon Tetrachloride	0.494	0.485	1.8	97	0.00
39 T	Methylcyclohexane	0.622	0.593	4.7	93	0.00
40 TM	Benzene	1.515	1.508	0.5	98	0.00
41 T	Methacrylonitrile	0.246	0.247	-0.4	93	0.00
42 TM	1,2-Dichloroethane	0.501	0.492	1.8	97	0.00
43 T	Isopropyl Acetate	0.848	0.869	-2.5	100	0.00
44 TM	Trichloroethene	0.384	0.378	1.6	99	0.00
45 C	1,2-Dichloropropane	0.404	0.405	-0.2#	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN112619\
 Data File : VN059415.D
 Acq On : 26 Nov 2019 18:25
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 27 02:54:42 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N112019W.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 21 08:44:45 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.248	0.254	-2.4	102	0.00
47 T	Bromodichloromethane	0.496	0.509	-2.6	101	0.00
48 T	Methyl methacrylate	0.386	0.389	-0.8	98	0.00
49 T	1,4-Dioxane	0.006	0.005	16.7	94	0.00
50 S	Toluene-d8	1.193	1.150	3.6	93	0.00
51 T	4-Methyl-2-Pentanone	0.496	0.539	-8.7	100	0.00
52 CM	Toluene	0.911	0.917	-0.7#	99	0.00
53 T	t-1,3-Dichloropropene	0.577	0.583	-1.0	100	0.00
54 T	cis-1,3-Dichloropropene	0.626	0.642	-2.6	100	0.00
55 T	1,1,2-Trichloroethane	0.354	0.366	-3.4	102	0.00
56 T	Ethyl methacrylate	0.531	0.580	-9.2	101	0.00
57 T	1,3-Dichloropropane	0.617	0.636	-3.1	101	0.00
58 T	2-Chloroethyl Vinyl ether	0.181	0.193	-6.6	100	0.00
59 T	2-Hexanone	0.363	0.393	-8.3	100	0.00
60 T	Dibromochloromethane	0.373	0.394	-5.6	101	0.00
61 T	1,2-Dibromoethane	0.369	0.375	-1.6	100	0.00
62 S	4-Bromofluorobenzene	0.417	0.411	1.4	96	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	103	0.00
64 T	Tetrachloroethene	0.387	0.370	4.4	99	0.00
65 PM	Chlorobenzene	1.075	1.060	1.4	101	0.00
66 T	1,1,1,2-Tetrachloroethane	0.391	0.404	-3.3	102	0.00
67 C	Ethyl Benzene	1.920	1.920	0.0	99	0.00
68 T	m/p-Xylenes	0.713	0.717	-0.6	99	0.00
69 T	o-Xylene	0.683	0.682	0.1	99	0.00
70 T	Styrene	1.077	1.124	-4.4	101	0.00
71 P	Bromoform	0.296	0.324	-9.5	106	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	105	0.00
73 T	Isopropylbenzene	4.096	3.915	4.4	99	0.00
74 T	N-amyl acetate	1.646	1.629	1.0	101	0.00
75 P	1,1,2,2-Tetrachloroethane	1.355	1.305	3.7	102	0.00
76 T	1,2,3-Trichloropropane	1.155	1.163	-0.7	108	0.00
77 T	Bromobenzene	0.993	0.946	4.7	101	0.00
78 T	n-propylbenzene	4.640	4.564	1.6	99	0.00
79 T	2-Chlorotoluene	2.848	2.680	5.9	100	0.00
80 T	1,3,5-Trimethylbenzene	3.443	3.292	4.4	100	0.00
81 T	trans-1,4-Dichloro-2-butene	0.462	0.484	-4.8	106	0.00
82 T	4-Chlorotoluene	2.947	2.737	7.1	100	0.00
83 T	tert-Butylbenzene	2.908	2.834	2.5	101	0.00
84 T	1,2,4-Trimethylbenzene	3.373	3.261	3.3	99	0.00
85 T	sec-Butylbenzene	3.908	3.781	3.2	99	0.00
86 T	p-Isopropyltoluene	3.478	3.411	1.9	99	0.00
87 T	1,3-Dichlorobenzene	1.769	1.671	5.5	102	0.00
88 T	1,4-Dichlorobenzene	1.750	1.654	5.5	102	0.00
89 T	n-Butylbenzene	3.051	2.913	4.5	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN112619\
Data File : VN059415.D
Acq On : 26 Nov 2019 18:25
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Nov 27 02:54:42 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N112019W.M
Quant Title : SW846 8260
QLast Update : Thu Nov 21 08:44:45 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.659	0.640	2.9	102	0.00
91 T	1,2-Dichlorobenzene	1.712	1.620	5.4	101	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.288	0.259	10.1	100	0.00
93 T	1,2,4-Trichlorobenzene	1.083	0.949	12.4	101	0.00
94 T	Hexachlorobutadiene	0.617	0.564	8.6	103	0.00
95 T	Naphthalene	3.133	2.522	19.5	101	0.00
96 T	1,2,3-Trichlorobenzene	1.166	0.956	18.0	101	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5