

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN112818\  
 Data File : VN052539.D  
 Acq On : 29 Nov 2018 00:47  
 Operator : MD\SY  
 Sample : J6086-03DL 20X  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 37 Sample Multiplier: 28

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 14B-3DL

Quant Time: Nov 29 09:29:01 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA N\METHODS\624N112618W.M  
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS  
 QLast Update : Tue Nov 27 00:48:33 2018  
 Response via : Initial Calibration

| Internal Standards      | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|-------------------------|-------|------|----------|-------|-------|----------|
| 1) Bromochloromethane   | 7.20  | 128  | 177017   | 30.00 | ug/l  | 0.00     |
| 28) 1,4-Difluorobenzene | 8.59  | 114  | 982947   | 30.00 | ug/l  | 0.00     |
| 57) Chlorobenzene-d5    | 11.41 | 117  | 797597   | 30.00 | ug/l  | 0.00     |

## System Monitoring Compounds

|                           |        |       |          |          |      |         |
|---------------------------|--------|-------|----------|----------|------|---------|
| 27) 1,2-Dichloroethane-d4 | 8.03   | 65    | 354047   | 29.35    | ug/l | 0.00    |
| Spiked Amount             | 30.000 | Range | 50 - 169 | Recovery | =    | 97.83%  |
| 60) 4-Bromofluorobenzene  | 12.40  | 95    | 317532   | 26.04    | ug/l | 0.00    |
| Spiked Amount             | 30.000 | Range | 56 - 143 | Recovery | =    | 86.80%  |
| 63) Toluene-d8            | 10.09  | 98    | 1124445  | 30.40    | ug/l | 0.00    |
| Spiked Amount             | 30.000 | Range | 66 - 137 | Recovery | =    | 101.33% |

## Target Compounds

|                          |      |    |        |        | Ovalue  |
|--------------------------|------|----|--------|--------|---------|
| 25) Chloroform           | 7.37 | 83 | 872777 | 43.630 | ug/l 99 |
| 41) Bromodichloromethane | 9.40 | 83 | 88880  | 6.154  | ug/l 99 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN112818\  
Data File : VN052539.D  
Acq On : 29 Nov 2018 00:47  
Operator : MD\SY  
Sample : J6086-03DL 20X  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 37 Sample Multiplier: 28

Instrument :  
MSVOA\_N  
ClientSampleId :  
14B-3DL

Quant Time: Nov 29 09:29:01 2018  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA N\METHODS\624N112618W.M  
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS  
QLast Update : Tue Nov 27 00:48:33 2018  
Response via : Initial Calibration

