

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN120320\
 Data File : VN064900.D
 Acq On : 3 Dec 2020 15:26
 Operator : JC/MD
 Sample : L4918-01DL 100X
 Misc : 5.08g/10mL/100uL/5.00mL/MSVOA_N/MEOH
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 20801DL

Quant Time: Dec 04 04:06:53 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N112320W.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 23 13:54:12 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.62	168	171012	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.55	114	303619	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.38	117	311742	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.32	152	149424	50.00	ug/l	0.00

System Monitoring Compounds		R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4		7.99	65	103863	52.24	ug/l	0.00
Spiked Amount	50.000	Range	61 - 141	Recovery	=	104.48%	
35) Dibromofluoromethane		7.55	113	93380	51.40	ug/l	0.00
Spiked Amount	50.000	Range	69 - 133	Recovery	=	102.80%	
50) Toluene-d8		10.06	98	378351	50.97	ug/l	0.00
Spiked Amount	50.000	Range	65 - 126	Recovery	=	101.94%	
62) 4-Bromofluorobenzene		12.37	95	151324	56.96	ug/l	0.00
Spiked Amount	50.000	Range	58 - 135	Recovery	=	113.92%	


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
16) Acetone	3.78	43	178428	273.012	ug/l	99
39) Methylcyclohexane	9.05	83	2177	0.719	ug/l #	90
52) Toluene	10.12	92	102504	19.301	ug/l	98
67) Ethyl Benzene	11.49	91	4991	0.446	ug/l #	88
68) m/p-Xylenes	11.59	106	6370	1.504	ug/l	78
69) o-Xylene	11.92	106	2775	0.691	ug/l	92
78) n-propylbenzene	12.57	91	5702	0.482	ug/l	93
80) 1,3,5-Trimethylbenzene	12.71	105	5893	0.682	ug/l	99
84) 1,2,4-Trimethylbenzene	13.01	105	23174	2.653	ug/l	100
89) n-Butylbenzene	13.59	91	3071	0.400	ug/l #	67
95) Naphthalene	15.11	128	6140	0.678	ug/l #	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN120320\
Data File : VN064900.D
Acq On : 3 Dec 2020 15:26
Operator : JC/MD
Sample : L4918-01DL 100X
Misc : 5.08g/10mL/100uL/5.00mL/MSVOA_N/MEOH
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
20801DL

Quant Time: Dec 04 04:06:53 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N112320W.M
Quant Title : SW846 8260
QLast Update : Mon Nov 23 13:54:12 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.62 min Scan# 1830

Delta R.T. -0.00 min

Lab File: VN064900.D

Acq: 3 Dec 2020 15:26

Instrument :

MSVOA_N

ClientSampleId :


20801DL

Tot Ion:168 Resp: 171012

Ion Ratio Lower Upper

168 100

99 54.5 43.0 64.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VN

7.62

80000

60000

40000

20000



0

Time-->

7.50

7.60

7.70



#16

Acetone

Concen: 273.012 ug/l

RT: 3.78 min Scan# 633

Delta R.T. -0.00 min

Lab File: VN064900.D


Acq: 3 Dec 2020 15:26

Tgt Ion: 43 Resp: 178428

Ion Ratio Lower Upper

43 100

58 32.9 25.7 38.5



Abundance Ion 43.00 (42.70 to 43.70): VN

Ion 58.00 (57.70 to 58.70): VN

3.78

80000

60000

40000

20000


0


Time-->

3.70

3.80

3.90









#33
 1,2-Dichloroethane-d4
 Concen: 52.242 ug/l
 RT: 7.99 min Scan# 1943
 Delta R.T. -0.00 min
 Lab File: VN064900.D
 Acq: 3 Dec 2020 15:26




Instrument :
 MSVOA_N
 ClientSampleID :
 20801DL


Tot Ion: 65 Resp: 103863
 Ion Ratio Lower Upper
 65 100
 67 53.6 0.0 108.2



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.55 min Scan# 2118
 Delta R.T. -0.00 min
 Lab File: VN064900.D
 Acq: 3 Dec 2020 15:26

Tgt Ion: 114 Resp: 303619
 Ion Ratio Lower Upper
 114 100
 63 18.8 0.0 38.6
 88 16.4 0.0 32.6









#35
Dibromofluoromethane
Concen: 51.399 ug/l
RT: 7.55 min Scan# 1807
Delta R.T. -0.00 min
Lab File: VN064900.D
Acq: 3 Dec 2020 15:26

Instrument :
MSVOA_N
ClientSampleId :
20801DL

Tot Ion:113 Resp: 93380
Ion Ratio Lower Upper
113 100
111 102.2 81.6 122.4
192 20.8 16.2 24.2




Abundance Ion 112.80 (112.50 to 113.50): V
Ion 110.80 (110.50 to 111.50): V
Ion 191.70 (191.40 to 192.40): V






#39
Methylcyclohexane
Concen: 0.719 ug/l
RT: 9.05 min Scan# 2272
Delta R.T. -0.00 min
Lab File: VN064900.D
Acq: 3 Dec 2020 15:26

Tgt Ion: 83 Resp: 2177
Ion Ratio Lower Upper
83 100
55 70.7 60.2 90.2
98 34.5 37.4 56.2#



Abundance Ion 83.00 (82.70 to 83.70): V
Ion 55.00 (54.70 to 55.70): V
Ion 98.00 (97.70 to 98.70): V





#50

Toluene-d8

Concen: 50.969 ug/l

RT: 10.06 min Scan# 2587

Delta R.T. -0.00 min

Lab File: VN064900.D

Acq: 3 Dec 2020 15:26

Instrument :

MSVOA_N

ClientSampleId :


20801DL

Tot Ion: 98 Resp: 378351

Ion Ratio Lower Upper

98 100

100 64.0 51.7 77.5



Abundance Ion 98.00 (97.70 to 98.70): VN064779.D (-2572) (-)

Ion 100.00 (99.70 to 100.70): VN064779.D (-2572) (-)

10.06

250000

200000



150000

100000

50000

0

Time-->



#52

Toluene

Concen: 19.301 ug/l

RT: 10.12 min Scan# 2607

Delta R.T. -0.00 min

Lab File: VN064900.D


Acq: 3 Dec 2020 15:26

Tgt Ion: 92 Resp: 102504

Ion Ratio Lower Upper

92 100

91 176.1 139.1 208.7



Abundance Ion 92.00 (91.70 to 92.70): VN064779.D (-2592) (-)

Ion 91.00 (90.70 to 91.70): VN064779.D (-2592) (-)

10.12

100000

80000


60000

40000

20000

0

Time-->









#62
4-Bromofluorobenzene
Concen: 56.962 ug/l
RT: 12.37 min Scan# 3307
Delta R.T. -0.00 min
Lab File: VN064900.D
Acq: 3 Dec 2020 15:26




Instrument :
MSVOA_N
ClientSampleId :
20801DL


Tot Ion: 95 Resp: 151324
Ion Ratio Lower Upper
95 100
174 80.4 0.0 160.4
176 79.4 0.0 158.4



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.38 min Scan# 2998
Delta R.T. -0.00 min
Lab File: VN064900.D
Acq: 3 Dec 2020 15:26

Tgt Ion: 117 Resp: 311742
Ion Ratio Lower Upper
117 100
82 54.9 44.2 66.2
119 32.6 25.8 38.6









#67
Ethyl Benzene
Concen: 0.446 ug/l
RT: 11.49 min Scan# 3031
Delta R.T. 0.00 min
Lab File: VN064900.D
Acq: 3 Dec 2020 15:26




Instrument :
MSVOA_N
ClientSampled :
20801DL


Tot Ion: 91 Resp: 4991
Ion Ratio Lower Upper
91 100
106 25.0 25.2 37.8#



#68
m/p-Xylenes
Concen: 1.504 ug/l
RT: 11.59 min Scan# 3064
Delta R.T. -0.00 min
Lab File: VN064900.D
Acq: 3 Dec 2020 15:26

Tgt Ion: 106 Resp: 6370
Ion Ratio Lower Upper
106 100
91 234.3 161.0 241.4









#69
o-Xylene
Concen: 0.691 ug/l
RT: 11.92 min Scan# 3165
Delta R.T. -0.00 min
Lab File: VN064900.D
Acq: 3 Dec 2020 15:26

Instrument :
MSVOA_N
ClientSampled :
20801DL

Tot Ion:106 Resp: 2775
Ion Ratio Lower Upper
106 100
91 224.0 105.5 316.5




Abundance Ion 106.00 (105.70 to 106.70): V
Ion 91.00 (90.70 to 91.70): VN






#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.32 min Scan# 3600
Delta R.T. -0.00 min
Lab File: VN064900.D
Acq: 3 Dec 2020 15:26

Tgt Ion:152 Resp: 149424
Ion Ratio Lower Upper
152 100
115 59.2 29.7 89.1
150 155.0 0.0 350.6



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V





#78

n-propylbenzene

Concen: 0.482 ug/l

RT: 12.57 min Scan# 3367

Delta R.T. -0.00 min

Lab File: VN064900.D

Acq: 3 Dec 2020 15:26

Instrument :

MSVOA_N

ClientSampleId :


20801DL

Tot Ion: 91 Resp: 5702

Ion Ratio Lower Upper




91 100

120 19.7 11.6 34.7



Abundance Ion 91.00 (90.70 to 91.70): VN064779.D (-3355) (-)

Ion 120.00 (119.70 to 120.70): VN064779.D (-3355) (-)



#80

1,3,5-Trimethylbenzene

Concen: 0.682 ug/l

RT: 12.71 min Scan# 3411

Delta R.T. -0.00 min

Lab File: VN064900.D


Acq: 3 Dec 2020 15:26

Tgt Ion: 105 Resp: 5893

Ion Ratio Lower Upper



105 100


120 48.4 24.6 73.6



Abundance Ion 105.00 (104.70 to 105.70): VN064779.D (-3397) (-)

Ion 120.00 (119.70 to 120.70): VN064779.D (-3397) (-)





#84

1,2,4-Trimethylbenzene

Concen: 2.653 ug/l

RT: 13.01 min Scan# 3506

Delta R.T. -0.00 min

Lab File: VN064900.D

Acq: 3 Dec 2020 15:26

Instrument :

MSVOA_N

ClientSampleId :





20801DL

Tot Ion:105 Resp: 23174

Ion Ratio Lower Upper

105 100

120 45.9 23.1 69.2



#89

n-Butylbenzene

Concen: 0.400 ug/l

RT: 13.59 min Scan# 3685

Delta R.T. -0.00 min

Lab File: VN064900.D

Acq: 3 Dec 2020 15:26




Tgt Ion: 91 Resp: 3071


Ion Ratio Lower Upper

91 100

92 35.4 26.0 78.0

134 0.0 12.9 38.6#





#95

Naphthalene

Concen: 0.678 ug/l

RT: 15.11 min Scan# 4157

Delta R.T. 0.00 min

Lab File: VN064900.D

Acq: 3 Dec 2020 15:26

Instrument :

MSVOA_N

ClientSampleId :

20801DL


Tot Ion:128 Resp: 6140

Ion Ratio Lower Upper

128 100

127 11.4 10.3 15.5

129 7.7 8.7 13.1#



Abundance Ion 128.00 (127.70 to 128.70): V

Ion 127.00 (126.70 to 127.70): V

Ion 129.00 (128.70 to 129.70): V

