

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN120420\
 Data File : VN064933.D
 Acq On : 4 Dec 2020 20:55
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 05 03:35:56 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N112320W.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 23 13:54:12 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	113	0.00
2 T	Dichlorodifluoromethane	0.433	0.356	17.8	98	0.00
3 P	Chloromethane	0.563	0.471	16.3	100	0.00
4 C	Vinyl Chloride	0.587	0.500	14.8#	102	0.00
5 T	Bromomethane	0.385	0.334	13.2	103	0.00
6 T	Chloroethane	0.363	0.315	13.2	102	0.00
7 T	Trichlorofluoromethane	0.812	0.738	9.1	107	0.00
8 T	Diethyl Ether	0.320	0.293	8.4	107	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.487	0.458	6.0	110	0.00
10 T	Methyl Iodide	0.631	0.537	14.9	96	0.00
11 T	Tert butyl alcohol	0.091	0.089	2.2	111	0.00
12 CM	1,1-Dichloroethene	0.485	0.460	5.2#	112	0.00
13 T	Acrolein	0.055	0.055	0.0	115	0.00
14 T	Allyl chloride	0.800	0.763	4.6	111	0.00
15 T	Acrylonitrile	0.250	0.250	0.0	111	0.00
16 T	Acetone	0.191	0.193	-1.0	115	0.00
17 T	Carbon Disulfide	1.397	1.118	20.0	103	0.00
18 T	Methyl Acetate	0.575	0.577	-0.3	117	0.00
19 T	Methyl tert-butyl Ether	1.555	1.618	-4.1	116	0.00
20 T	Methylene Chloride	0.599	0.574	4.2	119	0.00
21 T	trans-1,2-Dichloroethene	0.538	0.503	6.5	111	0.00
22 T	Diisopropyl ether	1.601	1.655	-3.4	115	0.00
23 T	Vinyl Acetate	1.280	1.327	-3.7	113	0.00
24 P	1,1-Dichloroethane	0.957	0.956	0.1	114	0.00
25 T	2-Butanone	0.310	0.315	-1.6	109	0.00
26 T	2,2-Dichloropropane	0.830	0.742	10.6	104	0.00
27 T	cis-1,2-Dichloroethene	0.606	0.609	-0.5	116	0.00
28 T	Bromochloromethane	0.438	0.456	-4.1	120	0.00
29 T	Tetrahydrofuran	0.214	0.207	3.3	106	0.00
30 C	Chloroform	0.986	0.969	1.7#	114	0.00
31 T	Cyclohexane	0.810	0.744	8.1	111	0.00
32 T	1,1,1-Trichloroethane	0.847	0.821	3.1	112	0.00
33 S	1,2-Dichloroethane-d4	0.581	0.586	-0.9	119	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	117	0.00
35 S	Dibromofluoromethane	0.299	0.322	-7.7	131	0.00
36 T	1,1-Dichloropropene	0.463	0.436	5.8	111	0.00
37 T	Ethyl Acetate	0.446	0.411	7.8	108	0.00
38 T	Carbon Tetrachloride	0.482	0.454	5.8	111	0.00
39 T	Methylcyclohexane	0.499	0.463	7.2	110	0.00
40 TM	Benzene	1.420	1.360	4.2	114	0.00
41 T	Methacrylonitrile	0.206	0.206	0.0	129	0.00
42 TM	1,2-Dichloroethane	0.479	0.445	7.1	112	0.00
43 T	Isopropyl Acetate	0.718	0.691	3.8	111	0.00
44 TM	Trichloroethene	0.419	0.377	10.0	109	0.00
45 C	1,2-Dichloropropane	0.368	0.364	1.1#	117	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN120420\
 Data File : VN064933.D
 Acq On : 4 Dec 2020 20:55
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 05 03:35:56 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N112320W.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 23 13:54:12 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.246	0.237	3.7	114	0.00
47 T	Bromodichloromethane	0.494	0.478	3.2	114	0.00
48 T	Methyl methacrylate	0.343	0.341	0.6	112	0.00
49 T	1,4-Dioxane	0.006	0.006	0.0	110	0.00
50 S	Toluene-d8	1.222	1.245	-1.9	124	0.00
51 T	4-Methyl-2-Pentanone	0.431	0.416	3.5	109	0.00
52 CM	Toluene	0.875	0.848	3.1#	114	0.00
53 T	t-1,3-Dichloropropene	0.551	0.532	3.4	114	0.00
54 T	cis-1,3-Dichloropropene	0.590	0.580	1.7	114	0.00
55 T	1,1,2-Trichloroethane	0.360	0.352	2.2	119	0.00
56 T	Ethyl methacrylate	0.496	0.515	-3.8	115	0.00
57 T	1,3-Dichloropropane	0.593	0.584	1.5	116	0.00
58 T	2-Chloroethyl Vinyl ether	0.273	0.267	2.2	107	0.00
59 T	2-Hexanone	0.310	0.302	2.6	108	0.00
60 T	Dibromochloromethane	0.400	0.396	1.0	114	0.00
61 T	1,2-Dibromoethane	0.365	0.354	3.0	113	0.00
62 S	4-Bromofluorobenzene	0.437	0.447	-2.3	124	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	114	0.00
64 T	Tetrachloroethene	0.486	0.403	17.1	98	0.00
65 PM	Chlorobenzene	1.074	1.048	2.4	116	0.00
66 T	1,1,1,2-Tetrachloroethane	0.395	0.402	-1.8	116	0.00
67 C	Ethyl Benzene	1.794	1.817	-1.3#	114	0.00
68 T	m/p-Xylenes	0.679	0.696	-2.5	114	0.00
69 T	o-Xylene	0.644	0.669	-3.9	115	0.00
70 T	Styrene	1.088	1.152	-5.9	116	0.00
71 P	Bromoform	0.315	0.310	1.6	113	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	113	0.00
73 T	Isopropylbenzene	3.478	3.620	-4.1	114	0.00
74 T	N-amyl acetate	1.369	1.414	-3.3	112	0.00
75 P	1,1,2,2-Tetrachloroethane	1.019	1.063	-4.3	120	0.00
76 T	1,2,3-Trichloropropane	1.077	0.960	10.9	99	0.00
77 T	Bromobenzene	0.938	0.946	-0.9	117	0.00
78 T	n-propylbenzene	3.962	4.036	-1.9	111	0.00
79 T	2-Chlorotoluene	2.449	2.453	-0.2	113	0.00
80 T	1,3,5-Trimethylbenzene	2.891	3.077	-6.4	114	0.00
81 T	trans-1,4-Dichloro-2-butene	0.393	0.380	3.3	104	0.00
82 T	4-Chlorotoluene	2.567	2.547	0.8	113	0.00
83 T	tert-Butylbenzene	2.423	2.595	-7.1	117	0.00
84 T	1,2,4-Trimethylbenzene	2.923	3.124	-6.9	116	0.00
85 T	sec-Butylbenzene	3.217	3.286	-2.1	111	0.00
86 T	p-Isopropyltoluene	2.929	3.030	-3.4	110	0.00
87 T	1,3-Dichlorobenzene	1.666	1.657	0.5	115	0.00
88 T	1,4-Dichlorobenzene	1.762	1.673	5.1	115	0.00
89 T	n-Butylbenzene	2.572	2.497	2.9	108	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN120420\
Data File : VN064933.D
Acq On : 4 Dec 2020 20:55
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Dec 05 03:35:56 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N112320W.M
Quant Title : SW846 8260
QLast Update : Mon Nov 23 13:54:12 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.509	0.530	-4.1	113	0.00
91 T	1,2-Dichlorobenzene	1.636	1.649	-0.8	117	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.229	0.222	3.1	111	0.00
93 T	1,2,4-Trichlorobenzene	1.012	0.939	7.2	110	0.00
94 T	Hexachlorobutadiene	0.506	0.452	10.7	115	0.00
95 T	Naphthalene	3.031	2.940	3.0	112	0.00
96 T	1,2,3-Trichlorobenzene	0.994	0.905	9.0	110	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6