

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN120420\
 Data File : VN064919.D
 Acq On : 4 Dec 2020 15:17
 Operator : JC/MD
 Sample : L4954-02
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 SS013-13-5045-120120

Integration Parameters: RTEINT.P

Integrator: RTE
 Smoothing : ON
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 3 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N112320W.M
 Title : SW846 8260

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.775	306	322	336	rBV	95727	197472	4.82%	0.798%
2	3.756	608	627	650	rVB2	33327	102160	2.50%	0.413%
3	4.479	827	852	879	rBV4	125966	432863	10.57%	1.749%
4	5.000	989	1014	1045	rBV2	136004	490142	11.97%	1.981%
5	7.344	1724	1743	1762	rVB5	21380	64433	1.57%	0.260%
6	7.550	1786	1807	1812	rBV	126737	284584	6.95%	1.150%
7	7.614	1813	1827	1844	rVV2	1214160	3312552	80.90%	13.386%
8	7.704	1845	1855	1875	rVB3	130721	336001	8.21%	1.358%
9	7.894	1893	1914	1930	rBV	185485	484939	11.84%	1.960%
10	7.987	1930	1943	1966	rVB	124099	286628	7.00%	1.158%
11	8.119	1966	1984	1993	rBV4	137254	347085	8.48%	1.403%
12	8.190	1996	2006	2017	rVV4	134038	383898	9.38%	1.551%
13	8.264	2017	2029	2055	rVB2	434297	1032743	25.22%	4.173%
14	8.550	2101	2118	2142	rBV	344352	710785	17.36%	2.872%
15	9.045	2246	2272	2296	rBV	1775542	4094510	100.00%	16.546%
16	9.331	2340	2361	2375	rBV	80706	172903	4.22%	0.699%
17	9.479	2389	2407	2428	rVB3	174109	373624	9.12%	1.510%
18	9.621	2430	2451	2462	rVV	106046	228807	5.59%	0.925%
19	9.810	2496	2510	2525	rBV3	83215	168490	4.12%	0.681%
20	10.058	2572	2587	2609	rBV2	808225	1576032	38.49%	6.369%
21	10.225	2626	2639	2661	rVB4	162743	419456	10.24%	1.695%
22	10.402	2681	2694	2710	rVB2	344937	643934	15.73%	2.602%
23	10.499	2710	2724	2737	rBV2	123843	247407	6.04%	1.000%
24	10.888	2827	2845	2862	rBV4	77768	179195	4.38%	0.724%
25	10.978	2862	2873	2883	rVB	162257	280976	6.86%	1.135%
26	11.183	2925	2937	2959	rVB5	25255	50876	1.24%	0.206%
27	11.380	2985	2998	3014	rVV	531657	939370	22.94%	3.796%
28	11.466	3015	3025	3035	rVV2	84561	158801	3.88%	0.642%
29	11.627	3063	3075	3093	rVB7	64865	173436	4.24%	0.701%
30	11.788	3115	3125	3135	rVB4	24435	42137	1.03%	0.170%
31	11.894	3143	3158	3166	rBV3	33402	65548	1.60%	0.265%
32	11.945	3166	3174	3199	rVB6	26450	72454	1.77%	0.293%
33	12.093	3202	3220	3231	rBV2	46847	100695	2.46%	0.407%
34	12.376	3296	3308	3320	rBV	436477	728058	17.78%	2.942%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN120420\
 Data File : VN064919.D
 Acq On : 4 Dec 2020 15:17
 Operator : JC/MD
 Sample : L4954-02
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 SS013-13-5045-120120

Integration Parameters: RTEINT.P

Integrator: RTE
 Smoothing : ON
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 3 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N112320W.M
 Title : SW846 8260

35	12.444	3320	3329	3340	rVB6	24688	47792	1.17%	0.193%
36	12.537	3350	3358	3369	rVB6	32300	58561	1.43%	0.237%
37	13.318	3588	3601	3606	rBV	529904	907586	22.17%	3.668%
38	13.415	3622	3631	3642	rVB2	83779	132552	3.24%	0.536%
39	13.486	3642	3653	3659	rBV	158501	265262	6.48%	1.072%
40	13.646	3692	3703	3715	rVB	108917	174262	4.26%	0.704%
41	13.862	3760	3770	3786	rBV	185785	289953	7.08%	1.172%
42	13.965	3790	3802	3813	rBV2	279380	478215	11.68%	1.932%
43	14.103	3834	3845	3854	rBV2	166763	274606	6.71%	1.110%
44	14.183	3854	3870	3888	rVB	194467	358717	8.76%	1.450%
45	14.399	3926	3937	3946	rBV4	41248	78885	1.93%	0.319%
46	14.460	3946	3956	3963	rBV4	29782	52337	1.28%	0.211%
47	14.556	3975	3986	4001	rVV3	525008	1035717	25.30%	4.185%
48	14.714	4026	4035	4044	rVB	73690	114226	2.79%	0.462%
49	14.823	4058	4069	4074	rBV3	61078	106544	2.60%	0.431%
50	14.858	4075	4080	4088	rVV2	71073	114483	2.80%	0.463%
51	14.929	4091	4102	4114	rVB2	134023	288279	7.04%	1.165%
52	15.061	4136	4143	4150	rVV	39394	67070	1.64%	0.271%
53	15.103	4150	4156	4165	rVB2	27207	42965	1.05%	0.174%
54	15.209	4180	4189	4198	rBV2	27185	57724	1.41%	0.233%
55	15.260	4199	4205	4225	rVB4	36129	70194	1.71%	0.284%
56	15.383	4230	4243	4255	rBV	23204	48379	1.18%	0.196%
57	15.543	4276	4293	4312	rBV4	46740	124553	3.04%	0.503%
58	15.733	4340	4352	4362	rVV3	27248	59067	1.44%	0.239%
59	15.875	4384	4396	4408	rBV4	43751	90761	2.22%	0.367%
60	16.119	4463	4472	4482	rVV4	20045	44603	1.09%	0.180%
61	16.309	4516	4531	4546	rBV2	80002	179740	4.39%	0.726%


Sum of corrected areas: 24746027

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN120420\
Data File : VN064919.D
Acq On : 4 Dec 2020 15:17
Operator : JC/MD
Sample : L4954-02
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
SS013-13-5045-120120

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N112320W.M
Quant Title : SW846 8260

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_N\DATA\VN120420\
Data File : VN064919.D
Acq On : 4 Dec 2020 15:17
Operator : JC/MD
Sample : L4954-02
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
SS013-13-5045-120120

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N112320W.M
Quant Title : SW846 8260

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_N\DATA\VN120420\
Data File : VN064919.D
Acq On : 4 Dec 2020 15:17
Operator : JC/MD
Sample : L4954-02
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
SS013-13-5045-120120

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N112320W.M
Quant Title : SW846 8260

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc