

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN120425\  
 Data File : VN088439.D  
 Acq On : 04 Dec 2025 12:38  
 Operator : JC\MD  
 Sample : VN1204WBL01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 5 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VN1204WBL01

Quant Time: Dec 05 00:12:44 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N112425W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Nov 25 01:34:52 2025  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.206  | 168  | 236600   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 9.082  | 114  | 556948   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.841 | 117  | 555675   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.770 | 152  | 258091   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.559  | 65    | 275126   | 61.728   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 123.460% |
| 35) Dibromofluoromethane    | 8.147  | 113   | 196090   | 50.805   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 101.620% |
| 50) Toluene-d8              | 10.541 | 98    | 670134   | 46.664   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 93.320%  |
| 62) 4-Bromofluorobenzene    | 12.829 | 95    | 246023   | 49.929   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 77 - 121 | Recovery | =    | 99.860%  |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN120425\  
Data File : VN088439.D  
Acq On : 04 Dec 2025 12:38  
Operator : JC\MD  
Sample : VN1204WBL01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 5 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN1204WBL01

Quant Time: Dec 05 00:12:44 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N112425W.M  
Quant Title : SW846 8260  
QLast Update : Tue Nov 25 01:34:52 2025  
Response via : Initial Calibration

