

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN120518\
 Data File : VN052676.D
 Acq On : 5 Dec 2018 15:06
 Operator : MD\SY
 Sample : PB115330ZHE#07
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 13 Sample Multiplier: 28

Instrument :
 MSVOA_N
 ClientSampleId :
 PB115330ZHE#07

Quant Time: Dec 06 04:28:19 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N112718W.M
 Quant Title : SW846 8260
 QLast Update : Mon Dec 03 03:24:02 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.67	168	1123839	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.59	114	1762410	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.41	117	1546701	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.35	152	572817	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.03	65	597829	48.86	ug/l	0.00
Spiked Amount			Recovery	=	97.72%	
35) Dibromofluoromethane	7.59	113	546374	50.29	ug/l	0.00
Spiked Amount			Recovery	=	100.58%	
50) Toluene-d8	10.09	98	2149086	50.81	ug/l	0.00
Spiked Amount			Recovery	=	101.62%	
62) 4-Bromofluorobenzene	12.40	95	666267	46.88	ug/l	0.00
Spiked Amount			Recovery	=	93.76%	


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
16) Acetone	3.82	43	17230	5.338	ug/l	95
18) Methyl Acetate	4.32	43	5202	0.562	ug/l	97
20) Methylene Chloride	4.55	84	30720	2.432	ug/l	96
31) Cyclohexane	7.67	56	20008	0.589	ug/l #	1
36) 1,1-Dichloropropene	7.67	75	77669	4.667	ug/l #	50
38) Carbon Tetrachloride	7.67	117	99889	6.630	ug/l #	15
43) Isopropyl Acetate	8.17	43	54495	3.170	ug/l #	79
45) 1,2-Dichloropropane	9.27	63	3149	0.239	ug/l #	43
48) Methyl methacrylate	9.18	41	13461	1.502	ug/l #	13
49) 1,4-Dioxane	9.27	88	192	2.064	ug/l #	1
51) 4-Methyl-2-Pentanone	10.02	43	18045	1.871	ug/l #	36
54) cis-1,3-Dichloropropene	9.90	75	121552	6.643	ug/l #	63
56) Ethyl methacrylate	10.54	69	1455	2.789	ug/l #	1
57) 1,3-Dichloropropane	10.76	76	24296	1.327	ug/l #	43
59) 2-Hexanone	10.76	43	342887	52.975	ug/l #	51
71) Bromoform	12.40	173	4392	0.598	ug/l #	1
74) N-amyl acetate	11.88	43	38556	3.396	ug/l #	52
76) 1,2,3-Trichloropropane	12.40	75	317011	35.889	ug/l #	100
80) 1,3,5-Trimethylbenzene	12.73	105	23529	0.656	ug/l	97
81) trans-1,4-Dichloro-2-buten	12.40	75	317011	119.852	ug/l #	11
93) 1,2,4-Trichlorobenzene	14.91	180	112	2.840	ug/l #	12
95) Naphthalene	15.14	128	392	3.445	ug/l #	69
96) 1,2,3-Trichlorobenzene	15.32	180	115	2.739	ug/l #	32


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN120518\
Data File : VN052676.D
Acq On : 5 Dec 2018 15:06
Operator : MD\SY
Sample : PB115330ZHE#07
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 13 Sample Multiplier: 28

Instrument :
MSVOA_N
ClientSampleId :
PB115330ZHE#07

Quant Time: Dec 06 04:28:19 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N112718W.M
Quant Title : SW846 8260
QLast Update : Mon Dec 03 03:24:02 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.67 min Scan# 1833

Delta R.T. -0.00 min

Lab File: VN052676.D

Acq: 5 Dec 2018 15:06

Instrument :

MSVOA_N

ClientSampleId :


PB115330ZHE#07

Tot Ion:168 Resp: 1123839

Ion Ratio Lower Upper

168 100

99 51.2 41.7 62.5



Abundance Ion 167.90 (167.60 to 168.60): VN052470.D (-1812) (-)

Ion 98.90 (98.60 to 99.60): VN052470.D (-1812) (-)

7.67

500000

400000



300000

200000

100000

0

Time-->



#16

Acetone

Concen: 5.338 ug/l

RT: 3.82 min Scan# 636

Delta R.T. 0.00 min

Lab File: VN052676.D


Acq: 5 Dec 2018 15:06

Tgt Ion: 43 Resp: 17230

Ion Ratio Lower Upper

43 100

58 29.7 26.0 39.0



Abundance Ion 43.00 (42.70 to 43.70): VN052470.D (-601) (-)

Ion 58.00 (57.70 to 58.70): VN052470.D (-601) (-)

3.82


6000


4000

2000

0

Time-->









#18
Methyl Acetate
Concen: 0.562 ug/l
RT: 4.32 min Scan# 792
Delta R.T. -0.01 min
Lab File: VN052676.D
Acq: 5 Dec 2018 15:06




Instrument :
MSVOA_N
ClientSampleId :
PB115330ZHE#07


Tot Ion: 43 Resp: 5202
Ion Ratio Lower Upper
43 100
74 21.6 18.6 27.8



#20
Methylene Chloride
Concen: 2.432 ug/l
RT: 4.55 min Scan# 864
Delta R.T. -0.00 min
Lab File: VN052676.D
Acq: 5 Dec 2018 15:06

Tgt Ion: 84 Resp: 30720
Ion Ratio Lower Upper
84 100
49 116.4 98.0 147.0
51 39.7 30.1 45.1
86 62.5 50.7 76.1









#31
Cyclohexane
Concen: 0.589 ug/l
RT: 7.67 min Scan# 1833
Delta R.T. 0.01 min
Lab File: VN052676.D
Acq: 5 Dec 2018 15:06

Instrument :
MSVOA_N
ClientSampleId :
PB115330ZHE#07

Tot Ion: 56 Resp: 20008
Ion Ratio Lower Upper
56 100
69 193.8 25.8 38.6#
84 161.9 65.3 97.9#




Abundance Ion 56.00 (55.70 to 56.70): VN0
Ion 69.00 (68.70 to 69.70): VN0
Ion 84.00 (83.70 to 84.70): VN0






#33
1,2-Dichloroethane-d4
Concen: Below ug/l
RT: 8.03 min Scan# 1945
Delta R.T. -0.00 min
Lab File: VN052676.D
Acq: 5 Dec 2018 15:06

Tgt Ion: 65 Resp: 597829
Ion Ratio Lower Upper
65 100
67 54.6 0.0 109.8



Abundance Ion 64.90 (64.60 to 65.60): VN0
Ion 66.90 (66.60 to 67.60): VN0









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.59 min Scan# 2119
 Delta R.T. -0.00 min
 Lab File: VN052676.D
 Acq: 5 Dec 2018 15:06

Instrument :
 MSVOA_N
 ClientSampleId :
 PB115330ZHE#07

Tot Ion:114 Resp: 1762410
 Ion Ratio Lower Upper
 114 100
 63 20.0 0.0 41.8
 88 15.7 0.0 31.6




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VN
 Ion 87.90 (87.60 to 88.60): VN






#35
 Dibromofluoromethane
 Concen: 50.000 ug/l
 RT: 7.59 min Scan# 1810
 Delta R.T. -0.00 min
 Lab File: VN052676.D
 Acq: 5 Dec 2018 15:06

Tgt Ion:113 Resp: 546374
 Ion Ratio Lower Upper
 113 100
 111 102.2 82.0 123.0
 192 21.6 17.0 25.6



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#36

1,1-Dichloropropene

Concen: 4.667 ug/l

RT: 7.67 min Scan# 1833

Delta R.T. -0.13 min

Lab File: VN052676.D

Acq: 5 Dec 2018 15:06

Instrument :

MSVOA_N

ClientSampleId :

PB115330ZHE#07


Tot Ion: 75 Resp: 77669

Ion Ratio Lower Upper

75 100

110 8.6 17.5 52.6#

77 0.0 24.5 36.7#





Abundance Ion 74.90 (74.60 to 75.60): VN052470.D (-1849) (-)

Ion 109.90 (109.60 to 110.60): VN052470.D (-1849) (-)

Ion 76.90 (76.60 to 77.60): VN052470.D (-1849) (-)

7.67

Time-->



#38

Carbon Tetrachloride

Concen: 6.630 ug/l

RT: 7.67 min Scan# 1833

Delta R.T. -0.11 min

Lab File: VN052676.D

Acq: 5 Dec 2018 15:06


Tgt Ion: 117 Resp: 99889

Ion Ratio Lower Upper

117 100

119 4.4 76.8 115.2#

121 0.0 24.9 37.3#




Abundance Ion 116.80 (116.50 to 117.50): VN052470.D (-1847) (-)


Ion 118.80 (118.50 to 119.50): VN052470.D (-1847) (-)

Ion 120.80 (120.50 to 121.50): VN052470.D (-1847) (-)

7.67

Time-->





#43

Isopropyl Acetate

Concen: 3.170 ug/l

RT: 8.17 min Scan# 1989

Delta R.T. 0.01 min

Lab File: VN052676.D

Acq: 5 Dec 2018 15:06

Instrument :

MSVOA_N

ClientSampleId :

PB115330ZHE#07


Tot Ion: 43 Resp: 54495

Ion Ratio Lower Upper

43 100

61 15.4 24.1 36.1#




87 10.7 10.6 15.8



Abundance Ion 43.00 (42.70 to 43.70): VN0

Ion 61.00 (60.70 to 61.70): VN0

Ion 87.00 (86.70 to 87.70): VN0



#45

1,2-Dichloropropane

Concen: 0.239 ug/l

RT: 9.27 min Scan# 2331

Delta R.T. 0.15 min

Lab File: VN052676.D


Acq: 5 Dec 2018 15:06

Tgt Ion: 63 Resp: 3149

Ion Ratio Lower Upper



63 100


65 0.0 25.0 37.6#



Abundance Ion 62.90 (62.60 to 63.60): VN0

Ion 64.90 (64.60 to 65.60): VN0









#48
Methyl methacrylate
Concen: 1.502 ug/l
RT: 9.18 min Scan# 2303
Delta R.T. -0.02 min
Lab File: VN052676.D
Acq: 5 Dec 2018 15:06




Instrument :
MSVOA_N
ClientSampleId :
PB115330ZHE#07


Tot Ion: 41 Resp: 13461
Ion Ratio Lower Upper
41 100
69 0.0 70.0 105.0#
39 0.0 42.6 64.0#



#49
1,4-Dioxane
Concen: 2.064 ug/l
RT: 9.27 min Scan# 2330
Delta R.T. 0.06 min
Lab File: VN052676.D
Acq: 5 Dec 2018 15:06

Tgt Ion: 88 Resp: 192
Ion Ratio Lower Upper
88 100
43 1355046.9 26.4 39.6#
58 5845.3 55.4 83.0#





#50

Toluene-d8

Concen: 2.064 ug/l

RT: 10.09 min Scan# 2587

Delta R.T. -0.00 min

Lab File: VN052676.D

Acq: 5 Dec 2018 15:06

Instrument :

MSVOA_N

ClientSampleId :





PB115330ZHE#07

Tot Ion: 98 Resp: 2149086

Ion Ratio Lower Upper

98 100

100 64.1 51.3 76.9



#51

4-Methyl-2-Pentanone

Concen: 1.871 ug/l

RT: 10.02 min Scan# 2566

Delta R.T. 0.04 min

Lab File: VN052676.D




Acq: 5 Dec 2018 15:06


Tgt Ion: 43 Resp: 18045

Ion Ratio Lower Upper

43 100

58 0.0 31.5 47.3#





#54

cis-1,3-Dichloropropene

Concen: 6.643 ug/l

RT: 9.90 min Scan# 2529

Delta R.T. 0.06 min

Lab File: VN052676.D

Acq: 5 Dec 2018 15:06

Instrument :

MSVOA_N

ClientSampleId :

PB115330ZHE#07


Tot Ion: 75 Resp: 121552

Ion Ratio Lower Upper

75 100

77 0.4 26.2 39.2#




39 30.3 36.0 54.0#



Abundance Ion 74.90 (74.60 to 75.60): VN0

Ion 76.90 (76.60 to 77.60): VN0

Ion 39.00 (38.70 to 39.70): VN0



#56

Ethyl methacrylate

Concen: 2.789 ug/l

RT: 10.54 min Scan# 2728

Delta R.T. 0.12 min

Lab File: VN052676.D

Acq: 5 Dec 2018 15:06


Tgt Ion: 69 Resp: 1455

Ion Ratio Lower Upper

69 100

41 6552.9 52.6 79.0#



39 2606.7 25.9 38.9#




Abundance Ion 69.00 (68.70 to 69.70): VN0

Ion 41.00 (40.70 to 41.70): VN0

Ion 39.00 (38.70 to 39.70): VN0









#57
 1,3-Dichloropropane
 Concen: 1.327 ug/l
 RT: 10.76 min Scan# 2796
 Delta R.T. 0.05 min
 Lab File: VN052676.D
 Acq: 5 Dec 2018 15:06




Instrument :
 MSVOA_N
 ClientSampleId :
 PB115330ZHE#07


Tot Ion: 76 Resp: 24296
 Ion Ratio Lower Upper
 76 100
 78 0.1 25.6 38.4#



#59
 2-Hexanone
 Concen: 52.975 ug/l
 RT: 10.76 min Scan# 2796
 Delta R.T. 0.01 min
 Lab File: VN052676.D
 Acq: 5 Dec 2018 15:06

Tgt Ion: 43 Resp: 342887
 Ion Ratio Lower Upper
 43 100
 58 19.6 27.4 82.0#





#62

4-Bromofluorobenzene

Concen: N.D. ug/l

RT: 12.40 min Scan# 3306

Delta R.T. 0.00 min

Lab File: VN052676.D

Acq: 5 Dec 2018 15:06

Instrument :

MSVOA_N

ClientSampleId :

PB115330ZHE#07


Tot Ion: 95 Resp: 666267

Ion Ratio Lower Upper

95 100

174 89.3 0.0 173.0

176 86.2 0.0 166.2




Abundance Ion 94.90 (94.60 to 95.60): VN052470.D (-3291) (-)


Ion 173.80 (173.50 to 174.50): VN052470.D (-3291) (-)

Ion 175.80 (175.50 to 176.50): VN052470.D (-3291) (-)

Time--> 12.30 12.40 12.50



Time--> 12.30 12.40 12.50



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.41 min Scan# 2996

Delta R.T. -0.00 min

Lab File: VN052676.D

Acq: 5 Dec 2018 15:06


Tgt Ion: 117 Resp: 1546701

Ion Ratio Lower Upper

117 100

82 54.9 43.6 65.4

119 32.5 25.4 38.2




Abundance Ion 116.90 (116.60 to 117.60): VN052470.D (-2980) (-)


Ion 82.00 (81.70 to 82.70): VN052470.D (-2980) (-)

Ion 118.90 (118.60 to 119.60): VN052470.D (-2980) (-)

Time--> 11.30 11.40 11.50




Time--> 11.30 11.40 11.50






#71
Bromoform
Concen: 0.598 ug/l
RT: 12.40 min Scan# 3305
Delta R.T. 0.27 min
Lab File: VN052676.D
Acq: 5 Dec 2018 15:06

Instrument :
MSVOA_N
ClientSampleId :
PB115330ZHE#07

Tot Ion:173 Resp: 4392
Ion Ratio Lower Upper
173 100
175 831.0 24.4 73.2#
254 0.0 0.1 0.1#




Abundance Ion 172.70 (172.40 to 173.40): V
Ion 174.70 (174.40 to 175.40): V
Ion 254.40 (254.10 to 255.10): V






#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.35 min Scan# 3599
Delta R.T. -0.00 min
Lab File: VN052676.D
Acq: 5 Dec 2018 15:06

Tgt Ion:152 Resp: 572817
Ion Ratio Lower Upper
152 100
115 57.1 28.4 85.2
150 156.9 0.0 346.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V





#74

N-amvl acetate

Concen: 3.396 ug/l

RT: 11.88 min Scan# 3143

Delta R.T. -0.19 min

Lab File: VN052676.D

Acq: 5 Dec 2018 15:06

Instrument :

MSVOA_N

ClientSampleId :

PB115330ZHE#07

Tot Ion: 43 Resp: 38556


Ion Ratio Lower Upper

43 100

70 1.5 33.8 50.8#

55 4.1 20.0 30.0#

61 11.2 19.7 29.5#






Abundance Ion 43.00 (42.70 to 43.70): VNO

Ion 70.00 (69.70 to 70.70): VNO

Ion 55.00 (54.70 to 55.70): VNO

Ion 61.00 (60.70 to 61.70): VNO



#76

1,2,3-Trichloropropane

Concen: 35.889 ug/l

RT: 12.40 min Scan# 3305

Delta R.T. -0.15 min

Lab File: VN052676.D


Acq: 5 Dec 2018 15:06

Tgt Ion: 75 Resp: 317011

Ion Ratio Lower Upper



75 100


77 1.1 0.0 0.0#



Abundance Ion 74.90 (74.60 to 75.60): VNO

Ion 77.00 (76.70 to 77.70): VNO









#80
 1,3,5-Trimethylbenzene
 Concen: 0.656 ug/l
 RT: 12.73 min Scan# 3409
 Delta R.T. -0.00 min
 Lab File: VN052676.D
 Acq: 5 Dec 2018 15:06




Instrument :
 MSVOA_N
 ClientSampleId :
 PB115330ZHE#07


Tot Ion:105 Resp: 23529
 Ion Ratio Lower Upper
 105 100
 120 51.0 24.3 73.0



#81
 trans-1,4-Dichloro-2-butene
 Concen: 119.852 ug/l
 RT: 12.40 min Scan# 3305
 Delta R.T. 0.10 min
 Lab File: VN052676.D
 Acq: 5 Dec 2018 15:06

Tgt Ion: 75 Resp: 317011
 Ion Ratio Lower Upper
 75 100
 53 0.0 77.4 116.0#
 89 0.0 35.4 53.2#









#93
 1,2,4-Trichlorobenzene
 Concen: 2.840 ug/l
 RT: 14.91 min Scan# 4086
 Delta R.T. 0.00 min
 Lab File: VN052676.D
 Acq: 5 Dec 2018 15:06

Instrument :
 MSVOA_N
 ClientSampleId :
 PB115330ZHE#07

Tot Ion:180 Resp: 112
 Ion Ratio Lower Upper
 180 100
 182 0.0 47.8 143.4#
 145 0.0 14.1 42.3#




Abundance Ion 179.80 (179.50 to 180.50): V
 Ion 181.80 (181.50 to 182.50): V
 Ion 144.80 (144.50 to 145.50): V






#95
 Naphthalene
 Concen: 3.445 ug/l
 RT: 15.14 min Scan# 4158
 Delta R.T. 0.01 min
 Lab File: VN052676.D
 Acq: 5 Dec 2018 15:06

Tgt Ion:128 Resp: 392
 Ion Ratio Lower Upper
 128 100
 127 0.0 10.2 15.2#
 129 0.0 8.7 13.1#



Abundance Ion 128.00 (127.70 to 128.70): V
 Ion 127.00 (126.70 to 127.70): V
 Ion 129.00 (128.70 to 129.70): V





#96
 1,2,3-Trichlorobenzene
 Concen: 2.739 ug/l
 RT: 15.32 min Scan# 4214
 Delta R.T. 0.01 min
 Lab File: VN052676.D
 Acq: 5 Dec 2018 15:06

Instrument :
 MSVOA_N
 ClientSampleId :
 PB115330ZHE#07

Tot Ion	Ratio	Lower	Upper
180	100		
182	26.1	47.8	143.3#
145	0.0	15.2	45.5#

