

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN120821\  
 Data File : VN069874.D  
 Acq On : 8 Dec 2021 20:44  
 Operator : JC/MD  
 Sample : PB141231ZHE#05  
 Misc : 5.00mL/MSVOA\_N/WATER  
 ALS Vial : 24 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 PB141231ZHE#05

Quant Time: Dec 09 11:47:31 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N120221W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Dec 03 08:46:47 2021  
 Response via : Initial Calibration

| Compound                    | R.T. QIon |       | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|-----------|-------|----------|----------|--------|----------|
| -----                       |           |       |          |          |        |          |
| Internal Standards          |           |       |          |          |        |          |
| 1) Pentafluorobenzene       | 8.085     | 168   | 1313458  | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.968     | 114   | 2444028  | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 11.744    | 117   | 2652928  | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.675    | 152   | 1024027  | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |           |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 8.440     | 65    | 1040988  | 51.331   | ug/l   | 0.00     |
| Spiked Amount               | 50.000    | Range | 61 - 141 | Recovery | =      | 102.660% |
| 35) Dibromofluoromethane    | 8.024     | 113   | 712600   | 46.548   | ug/l   | 0.00     |
| Spiked Amount               | 50.000    | Range | 69 - 133 | Recovery | =      | 93.100%  |
| 50) Toluene-d8              | 10.440    | 98    | 3196041  | 51.993   | ug/l   | 0.00     |
| Spiked Amount               | 50.000    | Range | 65 - 126 | Recovery | =      | 103.980% |
| 62) 4-Bromofluorobenzene    | 12.731    | 95    | 1233416  | 55.386   | ug/l   | 0.00     |
| Spiked Amount               | 50.000    | Range | 58 - 135 | Recovery | =      | 110.780% |
| Target Compounds            |           |       |          |          |        |          |
|                             |           |       |          |          |        | Qvalue   |
| 16) Acetone                 | 4.293     | 43    | 144526   | 11.847   | ug/l   | 95       |
| 18) Methyl Acetate          | 4.862     | 43    | 46530    | 1.264    | ug/l # | 87       |
| 20) Methylene Chloride      | 5.106     | 84    | 40817    | 2.517    | ug/l   | 84       |
| 25) 2-Butanone              | 7.348     | 43    | 24360    | 1.470    | ug/l   | 96       |
| 43) Isopropyl Acetate       | 8.563     | 43    | 187525   | 3.659    | ug/l # | 81       |
| -----                       |           |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN120821\  
Data File : VN069874.D  
Acq On : 8 Dec 2021 20:44  
Operator : JC/MD  
Sample : PB141231ZHE#05  
Misc : 5.00mL/MSVOA\_N/WATER  
ALS Vial : 24 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
PB141231ZHE#05

Quant Time: Dec 09 11:47:31 2021  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N120221W.M  
Quant Title : SW846 8260  
QLast Update : Fri Dec 03 08:46:47 2021  
Response via : Initial Calibration

