

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN120921\  
 Data File : VN069949.D  
 Acq On : 10 Dec 2021 8:01  
 Operator : JC/MD  
 Sample : M4967-05  
 Misc : 5.00mL/MSVOA\_N/WATER  
 ALS Vial : 49 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 TP-7D

Quant Time: Dec 10 09:01:50 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N120221W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Dec 03 08:46:47 2021  
 Response via : Initial Calibration

| Compound                    | R.T. QIon |       | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|-----------|-------|----------|----------|--------|----------|
| -----                       |           |       |          |          |        |          |
| Internal Standards          |           |       |          |          |        |          |
| 1) Pentafluorobenzene       | 8.088     | 168   | 1086604  | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.968     | 114   | 2131513  | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 11.744    | 117   | 2411566  | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.675    | 152   | 972340   | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |           |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 8.437     | 65    | 900850   | 53.695   | ug/l   | 0.00     |
| Spiked Amount               | 50.000    | Range | 61 - 141 | Recovery | =      | 107.380% |
| 35) Dibromofluoromethane    | 8.024     | 113   | 657367   | 49.236   | ug/l   | 0.00     |
| Spiked Amount               | 50.000    | Range | 69 - 133 | Recovery | =      | 98.480%  |
| 50) Toluene-d8              | 10.440    | 98    | 2826369  | 52.721   | ug/l   | 0.00     |
| Spiked Amount               | 50.000    | Range | 65 - 126 | Recovery | =      | 105.440% |
| 62) 4-Bromofluorobenzene    | 12.731    | 95    | 1137230  | 58.554   | ug/l   | 0.00     |
| Spiked Amount               | 50.000    | Range | 58 - 135 | Recovery | =      | 117.100% |
| Target Compounds            |           |       |          |          |        |          |
|                             |           |       |          |          |        | Qvalue   |
| 16) Acetone                 | 4.293     | 43    | 114641   | 11.359   | ug/l   | 96       |
| 18) Methyl Acetate          | 4.873     | 43    | 52206    | 1.714    | ug/l # | 89       |
| 20) Methylene Chloride      | 5.101     | 84    | 136707   | 10.190   | ug/l # | 86       |
| 43) Isopropyl Acetate       | 8.566     | 43    | 192411   | 4.305    | ug/l # | 78       |
| -----                       |           |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN120921\  
Data File : VN069949.D  
Acq On : 10 Dec 2021 8:01  
Operator : JC/MD  
Sample : M4967-05  
Misc : 5.00mL/MSVOA\_N/WATER  
ALS Vial : 49 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
TP-7D

Quant Time: Dec 10 09:01:50 2021  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N120221W.M  
Quant Title : SW846 8260  
QLast Update : Fri Dec 03 08:46:47 2021  
Response via : Initial Calibration

