

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN121118\
 Data File : VN052815.D
 Acq On : 11 Dec 2018 21:03
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 26 Sample Multiplier: 28

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 12 02:47:59 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N112718W.M
 Quant Title : SW846 8260
 QLast Update : Mon Dec 03 03:24:02 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	86	0.00
2 T	Dichlorodifluoromethane	0.468	0.375	19.9	71	0.00
3 P	Chloromethane	0.618	0.496	19.7	69	0.00
4 C	Vinyl Chloride	0.635	0.520	18.1#	71	0.00
5 T	Bromomethane	0.396	0.291	26.5#	70	0.00
6 T	Chloroethane	0.385	0.326	15.3	75	0.00
7 T	Trichlorofluoromethane	0.780	0.718	7.9	80	0.00
8 T	Diethyl Ether	0.288	0.282	2.1	84	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.487	0.454	6.8	82	0.00
10 T	Methyl Iodide	0.648	0.593	8.5	75	0.00
11 T	Tert butyl alcohol	0.027	0.032	-18.5	102	0.00
12 CM	1,1-Dichloroethene	0.468	0.427	8.8#	79	0.00
13 T	Acrolein	0.047	0.053	-12.8	98	0.00
14 T	Allyl chloride	0.807	0.743	7.9	76	0.00
15 T	Acrylonitrile	0.173	0.181	-4.6	88	0.00
16 T	Acetone	0.144	0.122	15.3	73	0.00
17 T	Carbon Disulfide	1.474	1.058	28.2#	63	0.00
18 T	Methyl Acetate	0.412	0.478	-16.0	101	0.00
19 T	Methyl tert-butyl Ether	1.246	1.298	-4.2	89	0.00
20 T	Methylene Chloride	0.562	0.512	8.9	82	0.00
21 T	trans-1,2-Dichloroethene	0.500	0.459	8.2	78	0.00
22 T	Diisopropyl ether	1.696	1.645	3.0	82	0.00
23 T	Vinyl Acetate	1.056	0.985	6.7	78	0.00
24 P	1,1-Dichloroethane	0.968	0.935	3.4	82	0.00
25 T	2-Butanone	0.204	0.202	1.0	84	0.00
26 T	2,2-Dichloropropane	0.670	0.631	5.8	81	0.00
27 T	cis-1,2-Dichloroethene	0.583	0.566	2.9	84	0.00
28 T	Bromochloromethane	0.442	0.432	2.3	83	0.00
29 T	Tetrahydrofuran	0.131	0.134	-2.3	87	0.00
30 C	Chloroform	0.966	0.928	3.9#	85	0.00
31 T	Cyclohexane	1.083	0.787	27.3#	72	0.00
32 T	1,1,1-Trichloroethane	0.765	0.758	0.9	85	0.00
33 S	1,2-Dichloroethane-d4	0.544	0.567	-4.2	88	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	84	0.00
35 S	Dibromofluoromethane	0.308	0.294	4.5	80	0.00
36 T	1,1-Dichloropropene	0.472	0.433	8.3	78	0.00
37 T	Ethyl Acetate	0.288	0.288	0.0	86	0.00
38 T	Carbon Tetrachloride	0.427	0.415	2.8	82	0.00
39 T	Methylcyclohexane	0.574	0.507	11.7	74	0.00
40 TM	Benzene	1.407	1.355	3.7	81	0.00
41 T	Methacrylonitrile	0.158	0.169	-7.0	86	0.00
42 TM	1,2-Dichloroethane	0.426	0.422	0.9	83	0.00
43 T	Isopropyl Acetate	0.488	0.556	-13.9	97	0.00
44 TM	Trichloroethene	0.360	0.361	-0.3	85	0.00
45 C	1,2-Dichloropropane	0.374	0.371	0.8#	84	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN121118\
 Data File : VN052815.D
 Acq On : 11 Dec 2018 21:03
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 26 Sample Multiplier: 28

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 12 02:47:59 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N112718W.M
 Quant Title : SW846 8260
 QLast Update : Mon Dec 03 03:24:02 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.207	0.213	-2.9	86	0.00
47 T	Bromodichloromethane	0.450	0.459	-2.0	86	0.00
48 T	Methyl methacrylate	0.254	0.265	-4.3	87	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	92	0.00
50 S	Toluene-d8	1.200	1.266	-5.5	87	0.00
51 T	4-Methyl-2-Pentanone	0.274	0.299	-9.1	90	0.00
52 CM	Toluene	0.836	0.843	-0.8#	83	0.00
53 T	t-1,3-Dichloropropene	0.433	0.457	-5.5	86	0.00
54 T	cis-1,3-Dichloropropene	0.519	0.533	-2.7	84	0.00
55 T	1,1,2-Trichloroethane	0.294	0.315	-7.1	90	0.00
56 T	Ethyl methacrylate	0.362	0.416	-14.9	93	0.00
57 T	1,3-Dichloropropane	0.519	0.531	-2.3	86	0.00
58 T	2-Chloroethyl Vinyl ether	0.213	0.230	-8.0	89	0.00
59 T	2-Hexanone	0.184	0.203	-10.3	89	0.00
60 T	Dibromochloromethane	0.319	0.345	-8.2	89	0.00
61 T	1,2-Dibromoethane	0.292	0.306	-4.8	88	0.00
62 S	4-Bromofluorobenzene	0.403	0.449	-11.4	91	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	85	0.00
64 T	Tetrachloroethene	0.388	0.433	-11.6	98	0.00
65 PM	Chlorobenzene	1.031	1.032	-0.1	85	0.00
66 T	1,1,1,2-Tetrachloroethane	0.358	0.375	-4.7	89	0.00
67 C	Ethyl Benzene	1.805	1.794	0.6#	84	0.00
68 T	m/p-Xylenes	0.672	0.673	-0.1	83	0.00
69 T	o-Xylene	0.653	0.666	-2.0	85	0.00
70 T	Styrene	1.040	1.110	-6.7	87	0.00
71 P	Bromoform	0.237	0.263	-11.0	92	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	90	0.00
73 T	Isopropylbenzene	3.923	3.667	6.5	86	0.00
74 T	N-amyl acetate	0.991	1.074	-8.4	96	0.00
75 P	1,1,2,2-Tetrachloroethane	0.892	0.844	5.4	88	0.00
76 T	1,2,3-Trichloropropane	0.771	0.736	4.5	91	0.00
77 T	Bromobenzene	0.970	0.938	3.3	89	0.00
78 T	n-propylbenzene	4.456	4.200	5.7	85	0.00
79 T	2-Chlorotoluene	2.654	2.481	6.5	86	0.00
80 T	1,3,5-Trimethylbenzene	3.129	2.974	5.0	86	0.00
81 T	trans-1,4-Dichloro-2-butene	0.231	0.232	-0.4	88	0.00
82 T	4-Chlorotoluene	2.675	2.530	5.4	85	0.00
83 T	tert-Butylbenzene	2.789	2.639	5.4	88	0.00
84 T	1,2,4-Trimethylbenzene	3.135	3.031	3.3	86	0.00
85 T	sec-Butylbenzene	3.799	3.597	5.3	86	0.00
86 T	p-Isopropyltoluene	3.236	3.112	3.8	86	0.00
87 T	1,3-Dichlorobenzene	1.696	1.679	1.0	91	0.00
88 T	1,4-Dichlorobenzene	1.671	1.645	1.6	90	0.00
89 T	n-Butylbenzene	2.691	2.624	2.5	84	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN121118\
Data File : VN052815.D
Acq On : 11 Dec 2018 21:03
Operator : MD\SY
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 26 Sample Multiplier: 28

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Dec 12 02:47:59 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N112718W.M
Quant Title : SW846 8260
QLast Update : Mon Dec 03 03:24:02 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.548	0.520	5.1	87	0.00
91 T	1,2-Dichlorobenzene	1.620	1.630	-0.6	91	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.128	0.134	-4.7	94	0.00
93 T	1,2,4-Trichlorobenzene	0.766	0.894	-16.7	96	0.00
94 T	Hexachlorobutadiene	0.521	0.503	3.5	92	0.00
95 T	Naphthalene	1.582	1.868	-18.1	96	0.00
96 T	1,2,3-Trichlorobenzene	0.716	0.815	-13.8	96	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6