

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_N\DATA\VN121818\
 Data File : VN052974.D
 Acq On : 18 Dec 2018 21:31
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 26 Sample Multiplier: 28

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 19 04:50:26 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N121818W.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 18 13:03:37 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	102	0.00
2 T	Dichlorodifluoromethane	0.506	0.492	2.8	102	0.00
3 P	Chloromethane	0.613	0.610	0.5	102	0.00
4 C	Vinyl Chloride	0.621	0.612	1.4#	102	0.00
5 T	Bromomethane	0.430	0.399	7.2	103	0.00
6 T	Chloroethane	0.368	0.368	0.0	104	0.00
7 T	Trichlorofluoromethane	0.774	0.763	1.4	102	0.00
8 T	Diethyl Ether	0.292	0.293	-0.3	103	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.493	0.476	3.4	102	0.00
10 T	Methyl Iodide	0.693	0.719	-3.8	102	0.00
11 T	Tert butyl alcohol	0.031	0.032	-3.2	104	0.00
12 CM	1,1-Dichloroethene	0.477	0.469	1.7#	101	0.00
13 T	Acrolein	0.028	0.038	-35.7#	135	0.00
14 T	Allyl chloride	0.738	0.773	-4.7	108	0.00
15 T	Acrylonitrile	0.172	0.175	-1.7	104	0.00
16 T	Acetone	0.099	0.108	-9.1	115	0.00
17 T	Carbon Disulfide	1.554	1.385	10.9	96	0.00
18 T	Methyl Acetate	0.466	0.455	2.4	106	0.00
19 T	Methyl tert-butyl Ether	1.275	1.317	-3.3	105	0.00
20 T	Methylene Chloride	0.543	0.534	1.7	104	0.00
21 T	trans-1,2-Dichloroethene	0.512	0.499	2.5	102	0.00
22 T	Diisopropyl ether	1.576	1.629	-3.4	105	0.00
23 T	Vinyl Acetate	0.906	0.907	-0.1	105	0.00
24 P	1,1-Dichloroethane	0.936	0.935	0.1	103	0.00
25 T	2-Butanone	0.167	0.185	-10.8	110	0.00
26 T	2,2-Dichloropropane	0.715	0.653	8.7	95	0.00
27 T	cis-1,2-Dichloroethene	0.580	0.576	0.7	103	0.00
28 T	Bromochloromethane	0.406	0.417	-2.7	104	0.00
29 T	Tetrahydrofuran	0.125	0.131	-4.8	105	0.00
30 C	Chloroform	0.920	0.919	0.1#	103	0.00
31 T	Cyclohexane	1.036	0.880	15.1	103	0.00
32 T	1,1,1-Trichloroethane	0.784	0.773	1.4	102	0.00
33 S	1,2-Dichloroethane-d4	0.507	0.540	-6.5	104	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	102	0.00
35 S	Dibromofluoromethane	0.228	0.251	-10.1	113	0.00
36 T	1,1-Dichloropropene	0.480	0.466	2.9	102	0.00
37 T	Ethyl Acetate	0.268	0.287	-7.1	107	0.00
38 T	Carbon Tetrachloride	0.440	0.430	2.3	101	0.00
39 T	Methylcyclohexane	0.583	0.562	3.6	102	0.00
40 TM	Benzene	1.427	1.415	0.8	103	0.00
41 T	Methacrylonitrile	0.155	0.157	-1.3	102	0.00
42 TM	1,2-Dichloroethane	0.422	0.421	0.2	103	0.00
43 T	Isopropyl Acetate	0.595	0.535	10.1	105	0.00
44 TM	Trichloroethene	0.413	0.398	3.6	100	0.00
45 C	1,2-Dichloropropane	0.372	0.371	0.3#	103	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_N\DATA\VN121818\
 Data File : VN052974.D
 Acq On : 18 Dec 2018 21:31
 Operator : MD\SY
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 26 Sample Multiplier: 28

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 19 04:50:26 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N121818W.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 18 13:03:37 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.217	0.215	0.9	103	0.00
47 T	Bromodichloromethane	0.460	0.457	0.7	103	0.00
48 T	Methyl methacrylate	0.260	0.270	-3.8	106	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	106	0.00
50 S	Toluene-d8	1.226	1.285	-4.8	104	0.00
51 T	4-Methyl-2-Pentanone	0.259	0.281	-8.5	107	0.00
52 CM	Toluene	0.885	0.887	-0.2#	103	0.00
53 T	t-1,3-Dichloropropene	0.484	0.476	1.7	101	0.00
54 T	cis-1,3-Dichloropropene	0.556	0.546	1.8	100	0.00
55 T	1,1,2-Trichloroethane	0.309	0.310	-0.3	103	0.00
56 T	Ethyl methacrylate	0.409	0.433	-5.9	107	0.00
57 T	1,3-Dichloropropane	0.529	0.537	-1.5	103	0.00
58 T	2-Chloroethyl Vinyl ether	0.224	0.236	-5.4	105	0.00
59 T	2-Hexanone	0.176	0.190	-8.0	108	0.00
60 T	Dibromochloromethane	0.353	0.350	0.8	102	0.00
61 T	1,2-Dibromoethane	0.313	0.319	-1.9	104	0.00
62 S	4-Bromofluorobenzene	0.430	0.448	-4.2	103	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	104	0.00
64 T	Tetrachloroethene	0.542	0.505	6.8	97	0.00
65 PM	Chlorobenzene	1.108	1.086	2.0	103	0.00
66 T	1,1,1,2-Tetrachloroethane	0.385	0.378	1.8	102	0.00
67 C	Ethyl Benzene	1.906	1.882	1.3#	103	0.00
68 T	m/p-Xylenes	0.725	0.712	1.8	103	0.00
69 T	o-Xylene	0.695	0.700	-0.7	104	0.00
70 T	Styrene	1.134	1.148	-1.2	104	0.00
71 P	Bromoform	0.278	0.273	1.8	101	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	99	0.00
73 T	Isopropylbenzene	3.912	4.016	-2.7	104	0.00
74 T	N-amyl acetate	1.086	1.199	-10.4	108	0.00
75 P	1,1,2,2-Tetrachloroethane	0.767	0.835	-8.9	114	0.00
76 T	1,2,3-Trichloropropane	0.842	0.774	8.1	90	0.00
77 T	Bromobenzene	1.017	1.040	-2.3	104	0.00
78 T	n-propylbenzene	4.455	4.522	-1.5	102	0.00
79 T	2-Chlorotoluene	2.762	2.670	3.3	102	0.00
80 T	1,3,5-Trimethylbenzene	3.189	3.171	0.6	101	0.00
81 T	trans-1,4-Dichloro-2-butene	0.261	0.270	-3.4	100	0.00
82 T	4-Chlorotoluene	2.703	2.724	-0.8	102	0.00
83 T	tert-Butylbenzene	2.820	2.812	0.3	103	0.00
84 T	1,2,4-Trimethylbenzene	3.206	3.206	0.0	100	0.00
85 T	sec-Butylbenzene	3.814	3.753	1.6	101	0.00
86 T	p-Isopropyltoluene	3.296	3.245	1.5	100	0.00
87 T	1,3-Dichlorobenzene	1.800	1.789	0.6	101	0.00
88 T	1,4-Dichlorobenzene	1.823	1.746	4.2	100	0.00
89 T	n-Butylbenzene	2.836	2.672	5.8	98	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_N\DATA\VN121818\
Data File : VN052974.D
Acq On : 18 Dec 2018 21:31
Operator : MD\SY
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 26 Sample Multiplier: 28

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Dec 19 04:50:26 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N121818W.M
Quant Title : SW846 8260
QLast Update : Tue Dec 18 13:03:37 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.506	0.506	0.0	101	0.00
91 T	1,2-Dichlorobenzene	1.694	1.675	1.1	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.133	0.131	1.5	99	0.00
93 T	1,2,4-Trichlorobenzene	1.006	0.856	14.9	98	0.00
94 T	Hexachlorobutadiene	0.584	0.469	19.7	97	0.00
95 T	Naphthalene	2.223	1.914	13.9	100	0.00
96 T	1,2,3-Trichlorobenzene	0.937	0.783	16.4	100	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6