

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN122022\  
 Data File : VN075899.D  
 Acq On : 20 Dec 2022 15:23  
 Operator : JC\MD  
 Sample : N6148-04  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 TCLP-VOC-3052

Quant Time: Dec 21 01:28:39 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N121422W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Dec 14 13:03:41 2022  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 8.230  | 168   | 378795   | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 9.106  | 114   | 588295   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 11.871 | 117   | 525892   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.794 | 152   | 227019   | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 8.582  | 65    | 190120   | 46.135   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =      | 92.280%  |
| 35) Dibromofluoromethane    | 8.171  | 113   | 171804   | 47.157   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =      | 94.320%  |
| 50) Toluene-d8              | 10.571 | 98    | 686057   | 50.365   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =      | 100.740% |
| 62) 4-Bromofluorobenzene    | 12.853 | 95    | 221737   | 49.148   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =      | 98.300%  |
| Target Compounds            |        |       |          |          |        |          |
|                             |        |       |          |          | Qvalue |          |
| 16) Acetone                 | 4.453  | 43    | 14884    | 10.478   | ug/l   | 94       |
| 20) Methylene Chloride      | 5.294  | 84    | 21406    | 5.057    | ug/l # | 91       |
| 37) Ethyl Acetate           | 7.571  | 43    | 30475    | 7.839    | ug/l   | 99       |
| 43) Isopropyl Acetate       | 8.694  | 43    | 217368   | 33.897   | ug/l # | 77       |
| -----                       |        |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN122022\  
Data File : VN075899.D  
Acq On : 20 Dec 2022 15:23  
Operator : JC\MD  
Sample : N6148-04  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 14 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
TCLP-VOC-3052

Quant Time: Dec 21 01:28:39 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N121422W.M  
Quant Title : SW846 8260  
QLast Update : Wed Dec 14 13:03:41 2022  
Response via : Initial Calibration

