

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN122822\  
 Data File : VN075997.D  
 Acq On : 28 Dec 2022 14:09  
 Operator : JC\MD  
 Sample : N6212-02  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 10 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 TP-1

Quant Time: Dec 29 04:50:40 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N121422W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Dec 14 13:03:41 2022  
 Response via : Initial Calibration

### Manual Integrations APPROVED

Reviewed By : Semsettin Yesilyurt 12/29/2022  
 Supervised By : Mahesh Dadoda 12/31/2022

| Compound                    | R.T.           | QIon | Response   | Conc     | Units | Dev(Min) |
|-----------------------------|----------------|------|------------|----------|-------|----------|
| -----                       |                |      |            |          |       |          |
| Internal Standards          |                |      |            |          |       |          |
| 1) Pentafluorobenzene       | 8.236          | 168  | 333483     | 50.000   | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene     | 9.106          | 114  | 539808     | 50.000   | ug/l  | 0.00     |
| 63) Chlorobenzene-d5        | 11.871         | 117  | 492241     | 50.000   | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.794         | 152  | 205631     | 50.000   | ug/l  | 0.00     |
|                             |                |      |            |          |       |          |
| System Monitoring Compounds |                |      |            |          |       |          |
| 33) 1,2-Dichloroethane-d4   | 8.589          | 65   | 174943     | 48.220   | ug/l  | 0.00     |
| Spiked Amount 50.000        | Range 74 - 125 |      | Recovery = | 96.440%  |       |          |
| 35) Dibromofluoromethane    | 8.177          | 113  | 158586     | 47.439   | ug/l  | 0.00     |
| Spiked Amount 50.000        | Range 75 - 124 |      | Recovery = | 94.880%  |       |          |
| 50) Toluene-d8              | 10.571         | 98   | 630221     | 50.422   | ug/l  | 0.00     |
| Spiked Amount 50.000        | Range 86 - 113 |      | Recovery = | 100.840% |       |          |
| 62) 4-Bromofluorobenzene    | 12.853         | 95   | 200776     | 48.499   | ug/l  | 0.00     |
| Spiked Amount 50.000        | Range 83 - 123 |      | Recovery = | 97.000%  |       |          |
|                             |                |      |            |          |       |          |
| Target Compounds            |                |      |            |          |       |          |
| 16) Acetone                 | 4.448          | 43   | 62810      | 50.222   | ug/l  | 96       |
| 20) Methylene Chloride      | 5.295          | 84   | 18238      | 4.873    | ug/l  | 95       |
| 25) 2-Butanone              | 7.495          | 43   | 23487      | 13.413   | ug/l  | 94       |
| 37) Ethyl Acetate           | 7.577          | 43   | 31582      | 8.854    | ug/l  | 98       |
| 43) Isopropyl Acetate       | 8.694          | 43   | 217226m    | 36.918   | ug/l  |          |
| -----                       |                |      |            |          |       |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN122822\  
Data File : VN075997.D  
Acq On : 28 Dec 2022 14:09  
Operator : JC\MD  
Sample : N6212-02  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 10 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
TP-1

Quant Time: Dec 29 04:50:40 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N121422W.M  
Quant Title : SW846 8260  
QLast Update : Wed Dec 14 13:03:41 2022  
Response via : Initial Calibration

Manual Integrations  
APPROVED

Reviewed By :Semsettin Yesilyurt 12/29/2022  
Supervised By :Mahesh Dadoda 12/31/2022

