

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN100722\  
 Data File : VN074814.D  
 Acq On : 07 Oct 2022 16:19  
 Operator : JC\MD  
 Sample : N4894-01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 18 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 MW-1

Quant Time: Oct 08 03:53:26 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N100522W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Oct 06 05:37:50 2022  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.235  | 168  | 243290   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 9.112  | 114  | 469562   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.871 | 117  | 478315   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.794 | 152  | 219621   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |           |
|-----------------------------|--------|-------|----------|----------|------|-----------|
| System Monitoring Compounds |        |       |          |          |      |           |
| 33) 1,2-Dichloroethane-d4   | 8.588  | 65    | 373471   | 64.788   | ug/l | 0.00      |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 129.580%# |
| 35) Dibromofluoromethane    | 8.183  | 113   | 284203   | 59.905   | ug/l | 0.01      |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 119.800%  |
| 50) Toluene-d8              | 10.571 | 98    | 1126959  | 55.360   | ug/l | 0.00      |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 110.720%  |
| 62) 4-Bromofluorobenzene    | 12.853 | 95    | 285349   | 46.112   | ug/l | 0.00      |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =    | 92.220%   |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN100722\  
Data File : VN074814.D  
Acq On : 07 Oct 2022 16:19  
Operator : JC\MD  
Sample : N4894-01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 18 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
MW-1

Quant Time: Oct 08 03:53:26 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N100522W.M  
Quant Title : SW846 8260  
QLast Update : Thu Oct 06 05:37:50 2022  
Response via : Initial Calibration

