

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN042020\
 Data File : VN061092.D
 Acq On : 20 Apr 2020 11:00
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 21 04:10:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N041620W.M
 Quant Title : SW846 8260
 QLast Update : Fri Apr 17 03:49:39 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	100	0.00
2 T	Dichlorodifluoromethane	0.595	0.651	-9.4	96	0.00
3 P	Chloromethane	0.887	0.863	2.7	95	0.00
4 C	Vinyl Chloride	0.737	0.721	2.2#	96	0.00
5 T	Bromomethane	0.370	0.358	3.2	97	0.00
6 T	Chloroethane	0.425	0.434	-2.1	97	0.00
7 T	Trichlorofluoromethane	0.917	0.916	0.1	97	0.00
8 T	Diethyl Ether	0.365	0.367	-0.5	98	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.538	0.535	0.6	100	0.00
10 T	Methyl Iodide	0.475	0.538	-13.3	114	0.00
11 T	Tert butyl alcohol	0.114	0.115	-0.9	103	0.00
12 CM	1,1-Dichloroethene	0.547	0.537	1.8#	98	0.00
13 T	Acrolein	0.096	0.092	4.2	102	0.00
14 T	Allyl chloride	1.035	0.996	3.8	99	0.00
15 T	Acrylonitrile	0.308	0.329	-6.8	103	0.00
16 T	Acetone	0.282	0.358	-27.0#	120	0.00
17 T	Carbon Disulfide	1.712	1.620	5.4	95	0.00
18 T	Methyl Acetate	0.883	0.962	-8.9	105	0.00
19 T	Methyl tert-butyl Ether	1.908	1.893	0.8	99	0.00
20 T	Methylene Chloride	0.615	0.609	1.0	99	0.00
21 T	trans-1,2-Dichloroethene	0.585	0.575	1.7	98	0.00
22 T	Diisopropyl ether	2.150	2.189	-1.8	101	0.00
23 T	Vinyl Acetate	1.686	1.729	-2.6	100	0.00
24 P	1,1-Dichloroethane	1.161	1.151	0.9	99	0.00
25 T	2-Butanone	0.431	0.484	-12.3	108	0.00
26 T	2,2-Dichloropropane	0.967	0.989	-2.3	101	0.00
27 T	cis-1,2-Dichloroethene	0.672	0.664	1.2	98	0.00
28 T	Bromochloromethane	0.533	0.506	5.1	93	0.00
29 T	Tetrahydrofuran	0.293	0.306	-4.4	102	0.00
30 C	Chloroform	1.083	1.087	-0.4#	99	0.00
31 T	Cyclohexane	1.192	1.117	6.3	98	0.00
32 T	1,1,1-Trichloroethane	0.937	0.933	0.4	99	0.00
33 S	1,2-Dichloroethane-d4	0.640	0.578	9.7	95	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	97	0.00
35 S	Dibromofluoromethane	0.292	0.280	4.1	96	0.00
36 T	1,1-Dichloropropene	0.516	0.525	-1.7	98	0.00
37 T	Ethyl Acetate	0.560	0.593	-5.9	103	0.00
38 T	Carbon Tetrachloride	0.429	0.455	-6.1	97	0.00
39 T	Methylcyclohexane	0.617	0.646	-4.7	99	0.00
40 TM	Benzene	1.531	1.556	-1.6	98	0.00
41 T	Methacrylonitrile	0.234	0.274	-17.1	109	0.00
42 TM	1,2-Dichloroethane	0.521	0.539	-3.5	99	0.00
43 T	Isopropyl Acetate	0.911	0.965	-5.9	101	0.00
44 TM	Trichloroethene	0.385	0.392	-1.8	100	0.00
45 C	1,2-Dichloropropane	0.413	0.425	-2.9#	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN042020\
 Data File : VN061092.D
 Acq On : 20 Apr 2020 11:00
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 21 04:10:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N041620W.M
 Quant Title : SW846 8260
 QLast Update : Fri Apr 17 03:49:39 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.238	0.255	-7.1	100	0.00
47 T	Bromodichloromethane	0.504	0.525	-4.2	98	0.00
48 T	Methyl methacrylate	0.403	0.432	-7.2	100	0.00
49 T	1,4-Dioxane	0.005	0.006	-20.0	106	0.00
50 S	Toluene-d8	1.103	1.027	6.9	96	0.00
51 T	4-Methyl-2-Pentanone	0.525	0.579	-10.3	103	0.00
52 CM	Toluene	0.918	0.944	-2.8#	98	0.00
53 T	t-1,3-Dichloropropene	0.585	0.616	-5.3	99	0.00
54 T	cis-1,3-Dichloropropene	0.638	0.664	-4.1	98	0.00
55 T	1,1,2-Trichloroethane	0.348	0.363	-4.3	98	0.00
56 T	Ethyl methacrylate	0.546	0.600	-9.9	99	0.00
57 T	1,3-Dichloropropane	0.620	0.645	-4.0	99	0.00
58 T	2-Chloroethyl Vinyl ether	0.248	0.244	1.6	104	0.00
59 T	2-Hexanone	0.379	0.431	-13.7	105	0.00
60 T	Dibromochloromethane	0.357	0.384	-7.6	100	0.00
61 T	1,2-Dibromoethane	0.354	0.369	-4.2	99	0.00
62 S	4-Bromofluorobenzene	0.432	0.399	7.6	94	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	97	0.00
64 T	Tetrachloroethene	0.383	0.409	-6.8	104	0.00
65 PM	Chlorobenzene	1.032	1.042	-1.0	98	0.00
66 T	1,1,1,2-Tetrachloroethane	0.369	0.379	-2.7	99	0.00
67 C	Ethyl Benzene	1.942	1.987	-2.3#	99	0.00
68 T	m/p-Xylenes	0.702	0.729	-3.8	100	0.00
69 T	o-Xylene	0.675	0.693	-2.7	99	0.00
70 T	Styrene	1.086	1.151	-6.0	98	0.00
71 P	Bromoform	0.276	0.292	-5.8	97	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	95	0.00
73 T	Isopropylbenzene	4.006	4.062	-1.4	99	0.00
74 T	N-amyl acetate	1.863	1.956	-5.0	100	0.00
75 P	1,1,2,2-Tetrachloroethane	1.223	1.256	-2.7	99	0.00
76 T	1,2,3-Trichloropropane	1.100	1.108	-0.7	100	0.00
77 T	Bromobenzene	0.935	0.936	-0.1	99	0.00
78 T	n-propylbenzene	4.687	4.845	-3.4	98	0.00
79 T	2-Chlorotoluene	2.749	2.825	-2.8	100	0.00
80 T	1,3,5-Trimethylbenzene	3.311	3.438	-3.8	99	0.00
81 T	trans-1,4-Dichloro-2-butene	0.446	0.452	-1.3	98	0.00
82 T	4-Chlorotoluene	2.851	2.916	-2.3	98	0.00
83 T	tert-Butylbenzene	2.785	2.865	-2.9	99	0.00
84 T	1,2,4-Trimethylbenzene	3.273	3.476	-6.2	101	0.00
85 T	sec-Butylbenzene	3.773	3.902	-3.4	98	0.00
86 T	p-Isopropyltoluene	3.360	3.530	-5.1	100	0.00
87 T	1,3-Dichlorobenzene	1.667	1.697	-1.8	98	0.00
88 T	1,4-Dichlorobenzene	1.677	1.683	-0.4	98	0.00
89 T	n-Butylbenzene	3.124	3.275	-4.8	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN042020\
Data File : VN061092.D
Acq On : 20 Apr 2020 11:00
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Apr 21 04:10:37 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N041620W.M
Quant Title : SW846 8260
QLast Update : Fri Apr 17 03:49:39 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.515	0.506	1.7	94	0.00
91 T	1,2-Dichlorobenzene	1.591	1.628	-2.3	99	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.237	0.250	-5.5	96	0.00
93 T	1,2,4-Trichlorobenzene	0.942	0.984	-4.5	95	0.00
94 T	Hexachlorobutadiene	0.484	0.482	0.4	95	0.00
95 T	Naphthalene	2.746	2.856	-4.0	95	0.00
96 T	1,2,3-Trichlorobenzene	0.907	0.945	-4.2	96	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6