

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN042020\
 Data File : VN061108.D
 Acq On : 20 Apr 2020 17:45
 Operator : JC/MD
 Sample : L2330-16
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 DUP-2020-04-16

Quant Time: Apr 21 06:07:56 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N041620W.M
 Quant Title : SW846 8260
 QLast Update : Fri Apr 17 03:49:39 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.64	168	144986	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.56	114	250277	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.40	117	237298	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.34	152	104442	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.00	65	99996	53.91	ug/l	0.00
Spiked Amount 50.000			Recovery	=	107.82%	
35) Dibromofluoromethane	7.56	113	75125	51.40	ug/l	0.00
Spiked Amount 50.000			Recovery	=	102.80%	
50) Toluene-d8	10.08	98	311484	56.40	ug/l	0.00
Spiked Amount 50.000			Recovery	=	112.80%	
62) 4-Bromofluorobenzene	12.40	95	112066	51.77	ug/l	0.00
Spiked Amount 50.000			Recovery	=	103.54%	
Target Compounds						
95) Naphthalene	15.13	128	14852	2.589	ug/l	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN042020\
Data File : VN061108.D
Acq On : 20 Apr 2020 17:45
Operator : JC/MD
Sample : L2330-16
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
DUP-2020-04-16

Quant Time: Apr 21 06:07:56 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N041620W.M
Quant Title : SW846 8260
QLast Update : Fri Apr 17 03:49:39 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.64 min Scan# 1825

Delta R.T. 0.00 min

Lab File: VN061108.D

Acq: 20 Apr 2020 17:45

Instrument :

MSVOA_N

ClientSampleId :


DUP-2020-04-16

Tot Ion:168 Resp: 144986

Ion Ratio Lower Upper




168 100

99 58.0 47.4 71.2



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VNO



#33

1,2-Dichloroethane-d4

Concen: 53.906 ug/l

RT: 8.00 min Scan# 1937

Delta R.T. 0.00 min

Lab File: VN061108.D


Acq: 20 Apr 2020 17:45

Tgt Ion: 65 Resp: 99996

Ion Ratio Lower Upper



65 100


67 53.3 0.0 107.0



Abundance Ion 64.90 (64.60 to 65.60): VNO

Ion 66.90 (66.60 to 67.60): VNO





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.56 min Scan# 2112

Delta R.T. 0.00 min

Lab File: VN061108.D

Acq: 20 Apr 2020 17:45

Instrument :

MSVOA_N

ClientSampleId :

DUP-2020-04-16


Tot Ion:114 Resp: 250277

Ion Ratio Lower Upper

114 100

63 22.5 0.0 46.2




88 16.8 0.0 33.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VN

Ion 87.90 (87.60 to 88.60): VN



#35

Dibromofluoromethane

Concen: 51.400 ug/l

RT: 7.56 min Scan# 1801

Delta R.T. 0.00 min

Lab File: VN061108.D

Acq: 20 Apr 2020 17:45


Tgt Ion:113 Resp: 75125

Ion Ratio Lower Upper

113 100

111 103.4 83.4 125.2



192 19.7 15.5 23.3




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 56.397 ug/l

RT: 10.08 min Scan# 2582

Delta R.T. 0.00 min

Lab File: VN061108.D

Acq: 20 Apr 2020 17:45

Instrument :

MSVOA_N

ClientSampleId :





DUP-2020-04-16

Tot Ion: 98 Resp: 311484

Ion Ratio Lower Upper

98 100

100 64.2 51.9 77.9



#62

4-Bromofluorobenzene

Concen: 51.771 ug/l

RT: 12.40 min Scan# 3304

Delta R.T. 0.00 min

Lab File: VN061108.D

Acq: 20 Apr 2020 17:45




Tgt Ion: 95 Resp: 112066


Ion Ratio Lower Upper

95 100

174 78.2 0.0 151.2

176 75.0 0.0 148.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.40 min Scan# 2994
Delta R.T. 0.00 min
Lab File: VN061108.D
Acq: 20 Apr 2020 17:45

Instrument :
MSVOA_N
ClientSampled :
DUP-2020-04-16

Tot Ion:117 Resp: 237298
Ion Ratio Lower Upper
117 100
82 58.3 47.1 70.7
119 31.9 25.7 38.5




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V






#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.34 min Scan# 3597
Delta R.T. 0.00 min
Lab File: VN061108.D
Acq: 20 Apr 2020 17:45

Tgt Ion:152 Resp: 104442
Ion Ratio Lower Upper
152 100
115 59.7 30.8 92.4
150 155.8 0.0 349.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V





#95

Naphthalene

Concen: 2.589 ug/l

RT: 15.13 min Scan# 4154

Delta R.T. 0.00 min

Lab File: VN061108.D

Acq: 20 Apr 2020 17:45

Instrument :

MSVOA_N

ClientSampleId :

DUP-2020-04-16


Tot Ion:128 Resp: 14852

Ion Ratio Lower Upper

128 100

127 12.3 10.2 15.4

129 10.6 8.6 13.0



Abundance Ion 128.00 (127.70 to 128.70): V

Ion 127.00 (126.70 to 127.70): V

Ion 129.00 (128.70 to 129.70): V

