

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU010319\
 Data File : VU029002.D
 Acq On : 03 Jan 2019 17:12
 Operator : MD/SY
 Sample : K1042-01
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 JC-1319-WS

Quant Time: Jan 04 07:58:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U010319W.M
 Quant Title : SW846 8260
 QLast Update : Fri Jan 04 02:22:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.98	168	130097	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.88	114	219809	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	201424	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.48	152	81576	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.30	65	81199	50.49	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.98%	
35) Dibromofluoromethane	4.88	113	71451	50.15	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.30%	
50) Toluene-d8	7.56	98	271694	48.30	ug/l	0.00
Spiked Amount	50.000		Recovery	=	96.60%	
62) 4-Bromofluorobenzene	10.30	95	88029	43.54	ug/l	0.00
Spiked Amount	50.000		Recovery	=	87.08%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU010319\
Data File : VU029002.D
Acq On : 03 Jan 2019 17:12
Operator : MD/SY
Sample : K1042-01
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
JC-1319-WS

Quant Time: Jan 04 07:58:06 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U010319W.M
Quant Title : SW846 8260
QLast Update : Fri Jan 04 02:22:53 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.98 min Scan# 1184

Delta R.T. -0.00 min

Lab File: VU029002.D

Acq: 03 Jan 2019 17:12

Instrument :

MSVOA_U

ClientSampleId :


JC-1319-WS

Tgt Ion: 168 Resp: 130097

Ion Ratio Lower Upper

168 100

99 51.3 42.0 63.0



Abundance Ion 167.90 (167.60 to 168.60): VU028994.D (-1167) (-)

Ion 98.90 (98.60 to 99.60): VU028994.D (-1167) (-)

4.98

60000



40000

20000

0

Time-->

4.90 5.00 5.10



#33

1,2-Dichloroethane-d4

Concen: 50.489 ug/l

RT: 5.30 min Scan# 1285

Delta R.T. -0.00 min

Lab File: VU029002.D


Acq: 03 Jan 2019 17:12

Tgt Ion: 65 Resp: 81199

Ion Ratio Lower Upper

65 100

67 56.2 0.0 111.0



Abundance Ion 64.90 (64.60 to 65.60): VU028994.D (-1270) (-)

Ion 66.90 (66.60 to 67.60): VU028994.D (-1270) (-)

5.30

40000

30000


20000


10000

0

Time-->

5.20 5.25 5.30 5.35 5.40





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 5.88 min Scan# 1465

Delta R.T. -0.00 min

Lab File: VU029002.D

Acq: 03 Jan 2019 17:12

Instrument :

MSVOA_U

ClientSampleId :

JC-1319-WS


Tgt Ion:114 Resp: 219809

Ion Ratio Lower Upper

114 100

63 20.4 0.0 40.2




88 15.6 0.0 30.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VU0

Ion 87.90 (87.60 to 88.60): VU0



#35

Dibromofluoromethane

Concen: 50.146 ug/l

RT: 4.88 min Scan# 1153

Delta R.T. -0.00 min

Lab File: VU029002.D

Acq: 03 Jan 2019 17:12


Tgt Ion:113 Resp: 71451

Ion Ratio Lower Upper

113 100

111 102.8 81.4 122.2



192 20.9 16.8 25.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 48.300 ug/l
RT: 7.56 min Scan# 1987
Delta R.T. -0.00 min
Lab File: VU029002.D
Acq: 03 Jan 2019 17:12

Instrument :
MSVOA_U
ClientSampleId :
JC-1319-WS

Tgt Ion: 98 Resp: 271694
Ion Ratio Lower Upper
98 100
100 64.7 51.6 77.4




Abundance Ion 98.00 (97.70 to 98.70): VU028994.D (-1973) (-)
Ion 100.00 (99.70 to 100.70): VU028994.D (-1973) (-)






#62
4-Bromofluorobenzene
Concen: 43.544 ug/l
RT: 10.30 min Scan# 2840
Delta R.T. -0.00 min
Lab File: VU029002.D
Acq: 03 Jan 2019 17:12

Tgt Ion: 95 Resp: 88029
Ion Ratio Lower Upper
95 100
174 85.9 0.0 170.6
176 83.0 0.0 165.0



Abundance Ion 94.90 (94.60 to 95.60): VU028994.D (-2828) (-)
Ion 173.80 (173.50 to 174.50): VU028994.D (-2828) (-)
Ion 175.80 (175.50 to 176.50): VU028994.D (-2828) (-)









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.09 min Scan# 2462
Delta R.T. 0.00 min
Lab File: VU029002.D
Acq: 03 Jan 2019 17:12

Instrument :
MSVOA_U
ClientSampleId :
JC-1319-WS

Tgt Ion:117 Resp: 201424
Ion Ratio Lower Upper
117 100
82 55.6 43.9 65.9
119 32.0 26.0 39.0




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VU0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 11.48 min Scan# 3206
Delta R.T. -0.00 min
Lab File: VU029002.D
Acq: 03 Jan 2019 17:12

Tgt Ion:152 Resp: 81576
Ion Ratio Lower Upper
152 100
115 57.0 40.1 120.3
150 158.0 0.0 345.2



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

