




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU010522\
Data File : VU046674.D
Acq On : 05 Jan 2022 19:52
Operator : SY/MD
Sample : N1025-05
Misc : 6.43g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BGLG9

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 01/07/2022
Supervised By :Semsettin Yesilyurt 01/11/2022

Quant Time: Jan 06 03:05:23 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM010522WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jan 06 02:54:34 2022
Response via : Initial Calibration



TIC: VU046674.D\data.ms

(7) Chloroethane-d5 (S)

1.919min (-0.000) 31.27 ug/L

response 41676

Ion	Exp%	Act%
69.10	100.00	100.00
71.10	32.40	28.78
51.00	24.00	13.60#
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU010522\
Data File : VU046674.D
Acq On : 05 Jan 2022 19:52
Operator : SY/MD
Sample : N1025-05
Misc : 6.43g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BGLG9

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 01/07/2022
Supervised By :Semsettin Yesilyurt 01/11/2022

Quant Time: Jan 06 03:05:23 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM010522WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jan 06 02:54:34 2022
Response via : Initial Calibration



TIC: VU046674.D\data.ms

(7) Chloroethane-d5 (S)

1.919min (-0.000) 50.48 ug/L m

response 67291

Ion	Exp%	Act%
69.10	100.00	100.00
71.10	32.40	17.82#
51.00	24.00	8.42#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU010522\
 Data File : VU046674.D
 Acq On : 05 Jan 2022 19:52
 Operator : SY/MD
 Sample : N1025-05
 Misc : 6.43g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BGLG9

Manual IntegrationsAPPROVED

Quant Time: Jan 06 03:05:23 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM010522WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 06 02:54:34 2022
 Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 01/07/2022
 Supervised By :Semsettin Yesilyurt 01/11/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	205623	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.427	117	211240	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	107457	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	91440	50.961	ug/L	0.00
Spiked Amount 50.000	Range 60	- 135	Recovery	=	101.920%	
7) Chloroethane-d5	1.919	69	67291m	50.482	ug/L	0.00
Spiked Amount 50.000	Range 70	- 130	Recovery	=	100.960%	
11) 1,1-Dichloroethene-d2	2.555	63	101678	33.318	ug/L	-0.02
Spiked Amount 50.000	Range 60	- 125	Recovery	=	66.640%	
21) 2-Butanone-d5	4.665	46	124660	94.925	ug/L	0.02
Spiked Amount 100.000	Range 40	- 130	Recovery	=	94.930%	
24) Chloroform-d	5.067	84	159843	50.533	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	=	101.060%	
26) 1,2-Dichloroethane-d4	5.703	65	109527	54.597	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	=	109.200%	
32) Benzene-d6	5.726	84	326389	49.511	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	=	99.020%	
36) 1,2-Dichloropropane-d6	6.693	67	100701	50.064	ug/L	0.00
Spiked Amount 50.000	Range 70	- 120	Recovery	=	100.120%	
41) Toluene-d8	7.899	98	306573	52.020	ug/L	0.00
Spiked Amount 50.000	Range 80	- 120	Recovery	=	104.040%	
43) trans-1,3-Dichloroprop...	8.185	79	52152	53.818	ug/L	0.00
Spiked Amount 50.000	Range 60	- 125	Recovery	=	107.640%	
47) 2-Hexanone-d5	8.681	63	114139	106.814	ug/L	0.04
Spiked Amount 100.000	Range 45	- 130	Recovery	=	106.810%	
56) 1,1,2,2-Tetrachloroeth...	10.774	84	154382	49.557	ug/L	0.02
Spiked Amount 50.000	Range 65	- 120	Recovery	=	99.120%	
66) 1,2-Dichlorobenzene-d4	12.201	152	127302	57.252	ug/L	0.00
Spiked Amount 50.000	Range 80	- 120	Recovery	=	114.500%	
Target Compounds						
63) 1,2,4-Trimethylbenzene	11.475	105	13799	2.510	ug/L	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU010522\
Data File : VU046674.D
Acq On : 05 Jan 2022 19:52
Operator : SY/MD
Sample : N1025-05
Misc : 6.43g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BGLG9

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 01/07/2022
Supervised By :Semsettin Yesilyurt 01/11/2022

Quant Time: Jan 06 03:05:23 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM010522WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jan 06 02:54:34 2022
Response via : Initial Calibration

