

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU010622\  
 Data File : VU046688.D  
 Acq On : 06 Jan 2022 15:50  
 Operator : SY/MD  
 Sample : N1027-10  
 Misc : 25.0mL/MSVOA\_U/WATER  
 ALS Vial : 12 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 C0J39

Quant Time: Jan 07 03:16:30 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR122121WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Fri Jan 07 03:14:07 2022  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 6.253  | 114   | 69965    | 5.000    | ug/L  | 0.00     |
| 28) Chlorobenzene-d5          | 9.420  | 117   | 76030    | 5.000    | ug/L  | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.812 | 152   | 37943    | 5.000    | ug/L  | 0.00     |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 4) Vinyl Chloride-d3          | 1.604  | 65    | 26355    | 4.782    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =     | 95.600%  |
| 7) Chloroethane-d5            | 1.919  | 69    | 22196    | 5.115    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =     | 102.200% |
| 11) 1,1-Dichloroethene-d2     | 2.571  | 65    | 11738    | 5.051    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =     | 101.000% |
| 20) 2-Butanone-d5             | 4.658  | 46    | 95382    | 59.668   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =     | 119.340% |
| 24) Chloroform-d              | 5.067  | 84    | 53152    | 5.264    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 105.200% |
| 26) 1,2-Dichloroethane-d4     | 5.706  | 65    | 32146    | 5.569    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 111.400% |
| 32) Benzene-d6                | 5.732  | 84    | 104677   | 4.939    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 98.800%  |
| 36) 1,2-Dichloropropane-d6    | 6.694  | 67    | 32094    | 5.039    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =     | 100.800% |
| 41) Toluene-d8                | 7.899  | 98    | 85950    | 4.468    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 89.400%  |
| 43) trans-1,3-Dichloroprop... | 8.182  | 79    | 13711    | 4.655    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =     | 93.000%  |
| 46) 2-Hexanone-d5             | 8.639  | 63    | 84856    | 49.068   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =     | 98.140%  |
| 56) 1,1,2,2-Tetrachloroeth... | 10.758 | 84    | 34018    | 5.204    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =     | 104.000% |
| 66) 1,2-Dichlorobenzene-d4    | 12.195 | 152   | 36374    | 5.204    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =     | 104.000% |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU010622\  
Data File : VU046688.D  
Acq On : 06 Jan 2022 15:50  
Operator : SY/MD  
Sample : N1027-10  
Misc : 25.0mL/MSVOA\_U/WATER  
ALS Vial : 12 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
C0J39

Quant Time: Jan 07 03:16:30 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR122121WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Fri Jan 07 03:14:07 2022  
Response via : Initial Calibration

