

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU010820\
 Data File : VU036402.D
 Acq On : 08 Jan 2020 12:27
 Operator : JC/MD
 Sample : VU0108WBL01
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK34

Quant Time: Jan 09 03:56:32 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 09 03:50:28 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	528370	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	510022	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	185465	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	162706	39.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.04%
7) Chloroethane-d5	1.93	69	153008	44.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.12%
11) 1,1-Dichloroethene-d2	2.59	63	251794	35.90	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.80%
21) 2-Butanone-d5	4.68	46	311170	101.49	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.49%
24) Chloroform-d	5.11	84	357349	49.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.46%
26) 1,2-Dichloroethane-d4	5.75	65	245915	51.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.22%
32) Benzene-d6	5.77	84	721748	50.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.66%
36) 1,2-Dichloropropane-d6	6.73	67	239144	50.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.44%
41) Toluene-d8	7.93	98	666271	48.88	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.76%
43) trans-1,3-Dichloropropene-	8.21	79	121465	47.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.02%
47) 2-Hexanone-d5	8.67	63	241565	98.36	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.36%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	345438	47.83	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.66%
64) 1,2-Dichlorobenzene-d4	12.22	152	194714	50.05	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.10%


Target Compounds					Qvalue
13) Acetone	2.66	43	7223	2.271 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU010820\
Data File : VU036402.D
Acq On : 08 Jan 2020 12:27
Operator : JC/MD
Sample : VU0108WBL01
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK34

Quant Time: Jan 09 03:56:32 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122719WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jan 09 03:50:28 2020
Response via : Initial Calibration





#13

Acetone

Concen: 2.271 ug/L

RT: 2.66 min Scan# 410

Delta R.T. -0.00 min

Lab File: VU036402.D

Acq: 08 Jan 2020 12:27

Instrument :

MSVOA_U

ClientSampleId :

VBLK34

Tgt Ion: 43 Resp: 7223

Ion Ratio Lower Upper

43 100

58 31.9 0.0 66.2

