

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU010824\
 Data File : VU057419.D
 Acq On : 09 Jan 2024 06:22
 Operator : MD/SY
 Sample : P1058-15
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YCHF3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM010824WMA.M
 Title : VOC Analysis

Signal : TIC: VU057419.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.599	86	96	108	rBV	109692	140957	14.58%	1.925%
2	1.914	186	194	215	rVB	74962	110775	11.46%	1.513%
3	2.351	327	330	332	rBV2	1048	769	0.08%	0.011%
4	2.486	369	372	375	rBV	257	182	0.02%	0.002%
5	2.509	375	379	382	rVB2	245	206	0.02%	0.003%
6	2.560	382	395	411	rBV2	214490	379116	39.22%	5.178%
7	3.547	700	702	704	rBV2	410	188	0.02%	0.003%
8	3.560	704	706	710	rVV	417	225	0.02%	0.003%
9	3.579	710	712	717	rVB3	595	375	0.04%	0.005%
10	3.695	745	748	751	rBB2	326	218	0.02%	0.003%
11	3.717	752	755	761	rBB3	387	312	0.03%	0.004%
12	3.859	789	799	814	rBB4	3571	8252	0.85%	0.113%
13	3.923	815	819	822	rBB2	530	354	0.04%	0.005%
14	4.087	865	870	873	rBB	159	175	0.02%	0.002%
15	4.515	1000	1003	1006	rVB2	234	179	0.02%	0.002%
16	4.637	1029	1041	1060	rBV2	50172	167825	17.36%	2.292%
17	4.968	1141	1144	1151	rVB2	453	580	0.06%	0.008%
18	5.055	1151	1171	1189	rBV2	186908	416153	43.05%	5.683%
19	5.364	1264	1267	1272	rBV2	214	213	0.02%	0.003%
20	5.528	1314	1318	1321	rBB	290	225	0.02%	0.003%
21	5.717	1356	1377	1413	rBV2	347872	966632	100.00%	13.201%
22	5.949	1447	1449	1452	rVB	305	198	0.02%	0.003%
23	5.991	1459	1462	1465	rBV2	289	225	0.02%	0.003%
24	6.036	1473	1476	1479	rBV2	312	290	0.03%	0.004%
25	6.100	1492	1496	1498	rBV	243	181	0.02%	0.002%
26	6.145	1505	1510	1512	rBV	334	297	0.03%	0.004%
27	6.241	1527	1540	1565	rBV	332885	642049	66.42%	8.769%
28	6.537	1619	1632	1645	rVB7	8478	16497	1.71%	0.225%
29	6.602	1648	1652	1656	rBV	484	485	0.05%	0.007%
30	6.682	1662	1677	1698	rBV2	205574	414279	42.86%	5.658%
31	6.778	1705	1707	1713	rVB4	1147	948	0.10%	0.013%
32	7.055	1790	1793	1796	rBV	180	174	0.02%	0.002%
33	7.122	1809	1814	1816	rBV2	314	259	0.03%	0.004%
34	7.155	1821	1824	1827	rVB	455	265	0.03%	0.004%
35	7.190	1832	1835	1837	rBV2	730	520	0.05%	0.007%
36	7.251	1851	1854	1857	rBV	333	254	0.03%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU010824\
 Data File : VU057419.D
 Acq On : 09 Jan 2024 06:22
 Operator : MD/SY
 Sample : P1058-15
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YCHF3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM010824WMA.M
 Title : VOC Analysis

37	7.267	1857	1859	1863	rVB2	235	174	0.02%	0.002%
38	7.290	1863	1866	1869	rBB	271	166	0.02%	0.002%
39	7.386	1893	1896	1900	rBB	202	175	0.02%	0.002%
40	7.502	1928	1932	1933	rBV	228	153	0.02%	0.002%
41	7.560	1938	1950	1968	rBV	114741	207563	21.47%	2.835%
42	7.704	1991	1995	1998	rVV2	991	746	0.08%	0.010%
43	7.839	2035	2037	2040	rBV2	365	205	0.02%	0.003%
44	7.894	2040	2054	2078	rBV	416718	742033	76.76%	10.134%
45	8.174	2130	2141	2166	rBV	80239	148653	15.38%	2.030%
46	8.296	2177	2179	2184	rVB2	508	296	0.03%	0.004%
47	8.473	2229	2234	2236	rBV	204	194	0.02%	0.003%
48	8.643	2274	2287	2322	rBV3	173438	393089	40.67%	5.368%
49	8.817	2336	2341	2343	rBV2	514	386	0.04%	0.005%
50	8.875	2354	2359	2364	rBB	347	373	0.04%	0.005%
51	8.997	2395	2397	2399	rBV	326	209	0.02%	0.003%
52	9.052	2411	2414	2419	rBV	223	223	0.02%	0.003%
53	9.177	2451	2453	2458	rBV	284	277	0.03%	0.004%
54	9.245	2471	2474	2477	rBV	215	181	0.02%	0.002%
55	9.267	2479	2481	2487	rVB	356	355	0.04%	0.005%
56	9.354	2503	2508	2511	rBB	338	244	0.03%	0.003%
57	9.415	2512	2527	2560	rBV	453926	786368	81.35%	10.740%
58	9.595	2581	2583	2585	rBV	335	182	0.02%	0.002%
59	9.753	2628	2632	2635	rBV	461	490	0.05%	0.007%
60	9.820	2649	2653	2656	rBV	200	195	0.02%	0.003%
61	9.891	2671	2675	2677	rBV	235	220	0.02%	0.003%
62	10.023	2712	2716	2719	rBV	232	232	0.02%	0.003%
63	10.084	2729	2735	2739	rBV	199	303	0.03%	0.004%
64	10.158	2754	2758	2760	rBV	225	230	0.02%	0.003%
65	10.441	2843	2846	2849	rBV	293	228	0.02%	0.003%
66	10.482	2852	2859	2862	rBV	199	294	0.03%	0.004%
67	10.656	2910	2913	2915	rBV	250	196	0.02%	0.003%
68	10.753	2931	2943	2963	rBV2	286555	472837	48.92%	6.458%
69	10.884	2980	2984	2989	rBV2	480	481	0.05%	0.007%
70	11.151	3064	3067	3073	rVV	277	280	0.03%	0.004%
71	11.180	3073	3076	3083	rVB	319	326	0.03%	0.004%
72	11.232	3089	3092	3097	rBV	302	364	0.04%	0.005%
73	11.322	3118	3120	3123	rBV2	272	153	0.02%	0.002%
74	11.363	3130	3133	3135	rBV	313	223	0.02%	0.003%
75	11.553	3189	3192	3194	rBV	328	211	0.02%	0.003%
76	11.666	3225	3227	3230	rBV	314	249	0.03%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU010824\
 Data File : VU057419.D
 Acq On : 09 Jan 2024 06:22
 Operator : MD/SY
 Sample : P1058-15
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YCHF3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM010824WMA.M
 Title : VOC Analysis

77	11.807	3258	3271	3288	rBV	405502	646413	66.87%	8.828%
78	11.955	3314	3317	3326	rVB4	486	541	0.06%	0.007%
79	12.026	3335	3339	3343	rVB	500	391	0.04%	0.005%
80	12.048	3344	3346	3349	rBB	285	174	0.02%	0.002%
81	12.080	3350	3356	3358	rBV	604	560	0.06%	0.008%
82	12.097	3358	3361	3366	rVB2	444	322	0.03%	0.004%
83	12.187	3377	3389	3407	rBV	389610	637688	65.97%	8.709%
84	12.418	3457	3461	3466	rBV2	309	320	0.03%	0.004%
85	12.460	3472	3474	3479	rBV2	263	199	0.02%	0.003%
86	12.534	3494	3497	3501	rBV2	287	239	0.02%	0.003%
87	12.752	3562	3565	3566	rBV2	288	177	0.02%	0.002%
88	12.846	3591	3594	3596	rBV	320	167	0.02%	0.002%
89	13.190	3698	3701	3704	rBV	257	162	0.02%	0.002%
90	13.855	3906	3908	3914	rVB3	418	298	0.03%	0.004%
91	13.994	3948	3951	3956	rBV2	340	356	0.04%	0.005%
92	14.116	3985	3989	3991	rBV2	668	491	0.05%	0.007%
93	14.318	4049	4052	4055	rBV3	328	261	0.03%	0.004%
94	14.572	4127	4131	4132	rBV2	409	334	0.03%	0.005%
95	14.669	4159	4161	4164	rVB2	412	171	0.02%	0.002%
96	14.897	4230	4232	4236	rBV2	396	301	0.03%	0.004%
97	15.003	4261	4265	4268	rBV2	583	429	0.04%	0.006%
98	15.035	4271	4275	4277	rBV2	712	566	0.06%	0.008%
99	15.286	4351	4353	4357	rBV3	528	372	0.04%	0.005%
100	16.039	4585	4587	4592	rBV4	823	634	0.07%	0.009%

Sum of corrected areas: 7322155

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU010824\
Data File : VU057419.D
Acq On : 09 Jan 2024 06:22
Operator : MD/SY
Sample : P1058-15
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YCHF3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM010824WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU010824\
Data File : VU057419.D
Acq On : 09 Jan 2024 06:22
Operator : MD/SY
Sample : P1058-15
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YCHF3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM010824WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------