

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU011020\
 Data File : VU036430.D
 Acq On : 10 Jan 2020 15:50
 Operator : JC/MD
 Sample : L1105-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AD0

Quant Time: Jan 13 09:10:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jan 10 22:57:35 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	459817	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	449366	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	173750	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	183497	51.21	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	102.42%
7) Chloroethane-d5	1.93	69	149641	49.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	99.02%
11) 1,1-Dichloroethene-d2	2.59	63	257735	42.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.46%
21) 2-Butanone-d5	4.67	46	263887	98.90	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.90%
24) Chloroform-d	5.11	84	329430	52.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.36%
26) 1,2-Dichloroethane-d4	5.75	65	227029	54.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	109.50%
32) Benzene-d6	5.77	84	652384	52.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.30%
36) 1,2-Dichloropropane-d6	6.73	67	212714	50.70	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.40%
41) Toluene-d8	7.93	98	600155	49.97	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.94%
43) trans-1,3-Dichloropropene-	8.21	79	111257	48.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.74%
47) 2-Hexanone-d5	8.67	63	203482	94.03	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.03%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	299218	47.02	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.04%
64) 1,2-Dichlorobenzene-d4	12.22	152	179290	49.19	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.38%


Target Compounds					Ovalue
13) Acetone	2.66	43	36311	13.121 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU011020\
Data File : VU036430.D
Acq On : 10 Jan 2020 15:50
Operator : JC/MD
Sample : L1105-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AD0

Quant Time: Jan 13 09:10:42 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122719WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jan 10 22:57:35 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 13.121 ug/L
 RT: 2.66 min Scan# 410
 Delta R.T. -0.00 min
 Lab File: VU036430.D
 Acq: 10 Jan 2020 15:50

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AD0

Tot Ion: 43 Resp: 36311
 Ion Ratio Lower Upper
 43 100
 58 33.3 0.0 66.2

