

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU011121\
 Data File : VU041938.D
 Acq On : 11 Jan 2021 22:36
 Operator : SY/MD
 Sample : VU0111WBL02
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK18

Quant Time: Jan 12 06:57:00 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR011121WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Jan 12 05:50:11 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	109914	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	109892	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	48720	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	48145	5.19	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	103.80%
7) Chloroethane-d5	1.92	69	44480	5.18	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	103.60%
11) 1,1-Dichloroethene-d2	2.57	63	69720	3.97	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	79.40%
20) 2-Butanone-d5	4.67	46	151067	58.68	ug/L	0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	117.36%
24) Chloroform-d	5.08	84	93368	5.53	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	110.60%
26) 1,2-Dichloroethane-d4	5.72	65	54126	6.08	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	121.60%
32) Benzene-d6	5.74	84	179870	5.54	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	110.80%
36) 1,2-Dichloropropane-d6	6.70	67	50667	4.97	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.40%
41) Toluene-d8	7.90	98	133651	4.54	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.80%
43) trans-1,3-Dichloropropene-	8.19	79	20968	4.93	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	98.60%
46) 2-Hexanone-d5	8.64	63	122307	56.78	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	113.56%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	47178	5.23	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.60%
64) 1,2-Dichlorobenzene-d4	12.19	152	48245	5.24	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.80%


Target Compounds					Ovalue
16) Methylene chloride	3.06	84	1959	0.182 ug/L	87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU011121\
Data File : VU041938.D
Acq On : 11 Jan 2021 22:36
Operator : SY/MD
Sample : VU0111WBL02
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK18

Quant Time: Jan 12 06:57:00 2021
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR011121WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Jan 12 05:50:11 2021
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.182 ug/L
RT: 3.06 min Scan# 535
Delta R.T. 0.00 min
Lab File: VU041938.D
Acq: 11 Jan 2021 22:36

Instrument :
MSVOA_U
ClientSampleId :
VBLK18

Tot Ion: 84 Resp: 1959

Ion	Ratio	Lower	Upper
84	100		
86	49.3	43.5	80.7
49	104.6	81.8	151.8

