

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU011320\
 Data File : VU036437.D
 Acq On : 13 Jan 2020 12:32
 Operator : JC/MD
 Sample : VU0113WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK37

Quant Time: Jan 14 16:28:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jan 14 16:20:30 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	476374	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	456480	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	174069	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	178235	48.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.04%
7) Chloroethane-d5	1.93	69	152121	48.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.16%
11) 1,1-Dichloroethene-d2	2.59	63	252394	39.91	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.82%
21) 2-Butanone-d5	4.68	46	301612	109.11	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	109.11%
24) Chloroform-d	5.11	84	325865	50.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.60%
26) 1,2-Dichloroethane-d4	5.75	65	228131	53.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.22%
32) Benzene-d6	5.77	84	665886	52.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.80%
36) 1,2-Dichloropropane-d6	6.73	67	214092	50.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.46%
41) Toluene-d8	7.93	98	604302	49.54	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.08%
43) trans-1,3-Dichloropropene-	8.21	79	112196	48.51	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.02%
47) 2-Hexanone-d5	8.67	63	224870	102.30	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	102.30%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	314965	48.72	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.44%
64) 1,2-Dichlorobenzene-d4	12.22	152	178224	48.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.62%


Target Compounds				Ovalue
13) Acetone	2.66	43	7820	2.728 ug/L 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU011320\
Data File : VU036437.D
Acq On : 13 Jan 2020 12:32
Operator : JC/MD
Sample : VU0113WBL01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK37

Quant Time: Jan 14 16:28:34 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122719WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jan 14 16:20:30 2020
Response via : Initial Calibration





#13

Acetone

Concen: 2.728 ug/L

RT: 2.66 min Scan# 411

Delta R.T. 0.00 min

Lab File: VU036437.D

Acq: 13 Jan 2020 12:32

Instrument :
MSVOA_U
ClientSampleId :
VBLK37

Tot Ion: 43 Resp: 7820

Ion Ratio Lower Upper

43 100

58 35.9 0.0 66.2

