

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU011320\
 Data File : VU036438.D
 Acq On : 13 Jan 2020 13:11
 Operator : JC/MD
 Sample : VU0113MBL01
 Misc : 5.G/5.0 mL/100uL/5.0mL/MSVOA_U/METHANOL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK38

Quant Time: Jan 14 16:30:40 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jan 14 16:20:30 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	485205	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	461839	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	170957	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	183535	48.54	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	97.08%
7) Chloroethane-d5	1.93	69	157195	49.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.58%
11) 1,1-Dichloroethene-d2	2.59	63	258601	40.15	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.30%
21) 2-Butanone-d5	4.67	46	288401	102.43	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.43%
24) Chloroform-d	5.11	84	340257	51.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.12%
26) 1,2-Dichloroethane-d4	5.74	65	234786	53.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	107.32%
32) Benzene-d6	5.77	84	671856	52.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.50%
36) 1,2-Dichloropropane-d6	6.73	67	223767	51.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.78%
41) Toluene-d8	7.93	98	622670	50.45	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.90%
43) trans-1,3-Dichloropropene-	8.21	79	114442	48.91	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.82%
47) 2-Hexanone-d5	8.67	63	215282	96.80	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.80%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	310664	47.50	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.00%
64) 1,2-Dichlorobenzene-d4	12.22	152	183189	51.08	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.16%


Target Compounds					Ovalue
13) Acetone	2.66	43	8206	2.810 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU011320\
Data File : VU036438.D
Acq On : 13 Jan 2020 13:11
Operator : JC/MD
Sample : VU0113MBL01
Misc : 5.G/5.0 mL/100uL/5.0mL/MSVOA_U/METHANOL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK38

Quant Time: Jan 14 16:30:40 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122719WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jan 14 16:20:30 2020
Response via : Initial Calibration





#13

Acetone

Concen: 2.810 ug/L

RT: 2.66 min Scan# 411

Delta R.T. 0.00 min

Lab File: VU036438.D

Acq: 13 Jan 2020 13:11

Instrument :

MSVOA_U

ClientSampleId :

VBLK38

Tot Ion: 43 Resp: 8206

Ion Ratio Lower Upper

43 100

58 29.8 0.0 66.2

