

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU011323\
 Data File : VU052677.D
 Acq On : 13 Jan 2023 14:16
 Operator : JC/MD
 Sample : 01139-18
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BH202

Quant Time: Jan 13 22:26:26 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR011023WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jan 11 00:53:59 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	149328	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.414	117	146583	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.809	152	67372	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	50862	3.877	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	77.600%	
7) Chloroethane-d5	1.912	69	45816	4.287	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	85.800%	
11) 1,1-Dichloroethene-d2	2.565	65	24251	4.198	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	84.000%	
20) 2-Butanone-d5	4.639	46	165629	47.218	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	94.440%	
24) Chloroform-d	5.060	84	111458	4.554	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	91.000%	
26) 1,2-Dichloroethane-d4	5.697	65	59321	4.720	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	94.400%	
32) Benzene-d6	5.723	84	219368	4.617	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	92.400%	
36) 1,2-Dichloropropane-d6	6.687	67	72344	4.569	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	91.400%	
41) Toluene-d8	7.896	98	180831	4.317	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	86.400%	
43) trans-1,3-Dichloroprop...	8.176	79	26229	4.455	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	89.000%	
46) 2-Hexanone-d5	8.632	63	112198	45.874	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	91.740%	
56) 1,1,2,2-Tetrachloroeth...	10.751	84	55916	4.613	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	92.200%	
66) 1,2-Dichlorobenzene-d4	12.189	152	65392	5.332	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	106.600%	
Target Compounds						Qvalue
3) Chloromethane	1.520	50	3394	0.174	ug/L	95
13) Acetone	2.665	43	18386	7.308	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU011323\
Data File : VU052677.D
Acq On : 13 Jan 2023 14:16
Operator : JC/MD
Sample : 01139-18
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BH202

Quant Time: Jan 13 22:26:26 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR011023WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jan 11 00:53:59 2023
Response via : Initial Calibration

