

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU011520\
 Data File : VU036492.D
 Acq On : 16 Jan 2020 01:29
 Operator : JC/MD
 Sample : VIBLK45
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK45

Quant Time: Jan 16 08:23:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM011420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 16 06:52:15 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	531037	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	494518	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	225680	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	149741	43.49	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.98%
7) Chloroethane-d5	1.93	69	136449	45.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.56%
11) 1,1-Dichloroethene-d2	2.59	63	224267	33.92	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.84%
21) 2-Butanone-d5	4.68	46	292439	98.80	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.80%
24) Chloroform-d	5.11	84	311461	45.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.88%
26) 1,2-Dichloroethane-d4	5.75	65	227295	49.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.76%
32) Benzene-d6	5.77	84	642650	49.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.38%
36) 1,2-Dichloropropane-d6	6.73	67	214431	50.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.96%
41) Toluene-d8	7.93	98	596977	48.80	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.60%
43) trans-1,3-Dichloropropene-	8.21	79	107686	47.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.06%
47) 2-Hexanone-d5	8.67	63	231308	107.31	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	107.31%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	305369	48.27	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.54%
64) 1,2-Dichlorobenzene-d4	12.21	152	221301	49.78	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.56%

Target Compounds					Ovalue
13) Acetone	2.66	43	6415	2.002 ug/L	98
25) Chloroform	5.13	83	21160	3.054 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU011520\
Data File : VU036492.D
Acq On : 16 Jan 2020 01:29
Operator : JC/MD
Sample : VIBLK45
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK45

Quant Time: Jan 16 08:23:34 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM011420WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jan 16 06:52:15 2020
Response via : Initial Calibration

