

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU011520\
 Data File : VU036470.D
 Acq On : 15 Jan 2020 14:44
 Operator : JC/MD
 Sample : L1117-08
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFRC9

Quant Time: Jan 15 17:01:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM011420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jan 15 14:19:56 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	484545	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	446098	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	160680	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	142990	45.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	91.04%
7) Chloroethane-d5	1.93	69	127333	46.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.64%
11) 1,1-Dichloroethene-d2	2.59	63	207648	34.42	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.84%
21) 2-Butanone-d5	4.68	46	239774	88.78	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	88.78%
24) Chloroform-d	5.11	84	289767	46.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.66%
26) 1,2-Dichloroethane-d4	5.75	65	200174	48.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.28%
32) Benzene-d6	5.77	84	572421	49.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.12%
36) 1,2-Dichloropropane-d6	6.73	67	185868	48.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.98%
41) Toluene-d8	7.93	98	532263	48.24	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.48%
43) trans-1,3-Dichloropropene-	8.21	79	95247	46.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.20%
47) 2-Hexanone-d5	8.67	63	167341	86.06	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	86.06%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	265493	46.52	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.04%
64) 1,2-Dichlorobenzene-d4	12.22	152	150561	47.57	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.14%


Target Compounds				Ovalue
13) Acetone	2.66	43	17251	5.902 ug/L 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU011520\
Data File : VU036470.D
Acq On : 15 Jan 2020 14:44
Operator : JC/MD
Sample : L1117-08
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFRC9

Quant Time: Jan 15 17:01:34 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM011420WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jan 15 14:19:56 2020
Response via : Initial Calibration





#13

Acetone

Concen: 5.902 ug/L

RT: 2.66 min Scan# 411

Delta R.T. 0.00 min

Lab File: VU036470.D

Acq: 15 Jan 2020 14:44

Instrument :

MSVOA_U

ClientSampleId :

BFRC9

Tot Ion: 43 Resp: 17251

Ion Ratio Lower Upper

43 100

58 31.8 0.0 65.0

