

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU011525\
 Data File : VU062797.D
 Acq On : 16 Jan 2025 04:30
 Operator : MD/SY
 Sample : Q1084-05
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BA4

Quant Time: Jan 16 04:45:20 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Jan 16 01:55:19 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.239	114	94650	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	88707	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	40861	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.592	65	15166	2.893	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	57.800%
7) Chloroethane-d5	1.901	69	16391	3.887	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	77.800%
11) 1,1-Dichloroethene-d2	2.557	65	9168	3.376	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	67.600%
20) 2-Butanone-d5	4.602	46	64487	60.190	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	120.380%
24) Chloroform-d	5.049	84	60321	4.677	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.600%
26) 1,2-Dichloroethane-d4	5.689	65	36319	5.192	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.800%
32) Benzene-d6	5.714	84	97070	4.477	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.600%
36) 1,2-Dichloropropane-d6	6.679	67	29281	4.870	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.400%
41) Toluene-d8	7.888	98	88642	4.196	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.000%
43) trans-1,3-Dichloroprop...	8.171	79	14329	4.781	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	95.600%
46) 2-Hexanone-d5	8.618	63	50540	53.621	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	107.240%
56) 1,1,2,2-Tetrachloroeth...	10.743	84	28491	5.659	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	113.200%
66) 1,2-Dichlorobenzene-d4	12.184	152	35648	5.244	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.800%
Target Compounds					Qvalue	
34) Trichloroethene	6.531	95	14519	1.668	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU011525\
Data File : VU062797.D
Acq On : 16 Jan 2025 04:30
Operator : MD/SY
Sample : Q1084-05
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BA4

Quant Time: Jan 16 04:45:20 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Jan 16 01:55:19 2025
Response via : Initial Calibration

