

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU011525\
 Data File : VU062781.D
 Acq On : 15 Jan 2025 21:57
 Operator : MD/SY
 Sample : Q1058-17 10X
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BH8Y6

Quant Time: Jan 16 02:07:48 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Jan 16 01:55:19 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.238	114	91935	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	86931	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	41261	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	15675	3.079	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	61.600%
7) Chloroethane-d5	1.901	69	16144	3.941	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	78.800%
11) 1,1-Dichloroethene-d2	2.557	65	8944	3.391	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	67.800%
20) 2-Butanone-d5	4.605	46	59995	57.651	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	115.300%
24) Chloroform-d	5.049	84	58861	4.699	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.000%
26) 1,2-Dichloroethane-d4	5.689	65	34899	5.136	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.800%
32) Benzene-d6	5.714	84	92273	4.342	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.800%
36) 1,2-Dichloropropane-d6	6.679	67	28873	4.901	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.000%
41) Toluene-d8	7.888	98	83721	4.044	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.800%
43) trans-1,3-Dichloroprop...	8.171	79	12791	4.355	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.200%
46) 2-Hexanone-d5	8.621	63	46172	49.987	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	99.980%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	26759	5.423	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	108.400%
66) 1,2-Dichlorobenzene-d4	12.183	152	34382	5.009	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.200%
Target Compounds						Qvalue
5) Vinyl chloride	1.599	62	5673	0.857	ug/L	# 49
19) 1,1-Dichloroethane	3.856	63	4903	0.448	ug/L	91
22) cis-1,2-Dichloroethene	4.650	96	6578	0.988	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU011525\
Data File : VU062781.D
Acq On : 15 Jan 2025 21:57
Operator : MD/SY
Sample : Q1058-17 10X
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BH8Y6


Quant Time: Jan 16 02:07:48 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Jan 16 01:55:19 2025
Response via : Initial Calibration








#5
 Vinyl chloride
 Concen: 0.857 ug/L
 RT: 1.599 min Scan# 96
 Delta R.T. -0.000 min
 Lab File: VU062781.D
 Acq: 15 Jan 2025 21:57


Instrument :
 MSVOA_U
 ClientSampleId :
 BH8Y6





Tgt Ion: 62 Resp: 5673
 Ion Ratio Lower Upper
 62 100
 64 62.6 23.4 43.4#




#19
 1,1-Dichloroethane
 Concen: 0.448 ug/L
 RT: 3.856 min Scan# 798
 Delta R.T. 0.003 min
 Lab File: VU062781.D
 Acq: 15 Jan 2025 21:57




Tgt Ion: 63 Resp: 4903
 Ion Ratio Lower Upper
 63 100
 65 34.4 20.7 38.5
 83 19.3 10.5 19.5





cis-1,2-Dichloroethene
 Concen: 0.988 ug/L
 RT: 4.650 min Scan# 10
 Delta R.T. -0.000 min
 Lab File: VU062781.D
 Acq: 15 Jan 2025 21:57

Instrument :
 MSVOA_U
 ClientSampleId :
 BH8Y6



Tgt Ion:	96	Resp:	6578
Ion	Ratio	Lower	Upper
96	100		
61	125.3	84.8	157.6
98	62.5	43.1	80.1

