

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU011620\
 Data File : VU036496.D
 Acq On : 16 Jan 2020 11:44
 Operator : JC/MD
 Sample : VU0116WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK42

Quant Time: Jan 17 10:28:31 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM011420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 16 14:14:58 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	569159	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	529370	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	222005	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	169606	45.96	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	91.92%
7) Chloroethane-d5	1.93	69	155202	48.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.18%
11) 1,1-Dichloroethene-d2	2.59	63	253717	35.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.62%
21) 2-Butanone-d5	4.68	46	318932	100.53	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.53%
24) Chloroform-d	5.11	84	351225	47.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.62%
26) 1,2-Dichloroethane-d4	5.74	65	240682	49.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.56%
32) Benzene-d6	5.77	84	692031	49.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.98%
36) 1,2-Dichloropropane-d6	6.73	67	229982	51.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.16%
41) Toluene-d8	7.93	98	647938	49.48	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.96%
43) trans-1,3-Dichloropropene-	8.21	79	115747	47.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.44%
47) 2-Hexanone-d5	8.67	63	239673	103.87	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	103.87%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	338423	49.97	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.94%
64) 1,2-Dichlorobenzene-d4	12.21	152	220105	50.33	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.66%

Target Compounds					Ovalue
13) Acetone	2.66	43	6786	1.976 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU011620\
Data File : VU036496.D
Acq On : 16 Jan 2020 11:44
Operator : JC/MD
Sample : VU0116WBL01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK42

Quant Time: Jan 17 10:28:31 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM011420WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jan 16 14:14:58 2020
Response via : Initial Calibration

