

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU011620\
 Data File : VU036497.D
 Acq On : 16 Jan 2020 12:09
 Operator : JC/MD
 Sample : VU0116MBL01
 Misc : 5.00G/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK43

Quant Time: Jan 17 10:29:03 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM011420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 16 14:14:58 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	532043	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	507337	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	215181	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	166648	48.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.62%
7) Chloroethane-d5	1.93	69	147837	49.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	99.02%
11) 1,1-Dichloroethene-d2	2.59	63	243390	36.75	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.50%
21) 2-Butanone-d5	4.68	46	305055	102.86	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.86%
24) Chloroform-d	5.11	84	339147	49.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.78%
26) 1,2-Dichloroethane-d4	5.75	65	231344	50.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.34%
32) Benzene-d6	5.77	84	670530	50.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.08%
36) 1,2-Dichloropropane-d6	6.73	67	221308	51.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.58%
41) Toluene-d8	7.93	98	619797	49.39	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.78%
43) trans-1,3-Dichloropropene-	8.21	79	117002	50.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	100.66%
47) 2-Hexanone-d5	8.67	63	232152	104.98	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.98%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	328394	50.59	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	101.18%
64) 1,2-Dichlorobenzene-d4	12.22	152	217493	51.31	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.62%


Target Compounds					Ovalue
13) Acetone	2.66	43	6954	2.167 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU011620\
Data File : VU036497.D
Acq On : 16 Jan 2020 12:09
Operator : JC/MD
Sample : VU0116MBL01
Misc : 5.00G/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK43

Quant Time: Jan 17 10:29:03 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM011420WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jan 16 14:14:58 2020
Response via : Initial Calibration





#13

Acetone

Concen: 2.167 ug/L

RT: 2.66 min Scan# 411

Delta R.T. 0.00 min

Lab File: VU036497.D

Acq: 16 Jan 2020 12:09

Instrument :

MSVOA_U

ClientSampleId :

VBLK43

Tot Ion: 43 Resp: 6954

Ion Ratio Lower Upper

43 100

58 33.4 0.0 65.0

