

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU011625\
 Data File : VU062829.D
 Acq On : 16 Jan 2025 18:59
 Operator : MD/SY
 Sample : Q1072-03
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GCQ87

Quant Time: Jan 16 22:09:23 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Jan 16 22:02:47 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.238	114	91760	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	87614	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	42063	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	12488	2.457	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	49.200%
7) Chloroethane-d5	1.901	69	14089	3.446	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	69.000%
11) 1,1-Dichloroethene-d2	2.557	65	8026	3.049	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	61.000%
20) 2-Butanone-d5	4.605	46	60046	57.810	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	115.620%
24) Chloroform-d	5.049	84	54588	4.366	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.400%
26) 1,2-Dichloroethane-d4	5.689	65	33005	4.867	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.400%
32) Benzene-d6	5.714	84	86774	4.052	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.000%
36) 1,2-Dichloropropane-d6	6.679	67	25819	4.348	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	87.000%
41) Toluene-d8	7.888	98	78216	3.749	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	75.000%
43) trans-1,3-Dichloroprop...	8.171	79	13066	4.414	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.200%
46) 2-Hexanone-d5	8.621	63	47071	50.563	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	101.120%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	25998	5.228	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.600%
66) 1,2-Dichlorobenzene-d4	12.187	152	33142	4.736	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.800%
Target Compounds					Qvalue	
22) cis-1,2-Dichloroethene	4.656	96	4130	0.621	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU011625\
Data File : VU062829.D
Acq On : 16 Jan 2025 18:59
Operator : MD/SY
Sample : Q1072-03
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GCQ87

Quant Time: Jan 16 22:09:23 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Jan 16 22:02:47 2025
Response via : Initial Calibration

