

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU011822\
 Data File : VU046782.D
 Acq On : 18 Jan 2022 14:59
 Operator : SY/MD
 Sample : VU0118WBL01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK050

Quant Time: Jan 19 07:35:02 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR011822WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jan 19 06:55:47 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	123570	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	127244	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	66093	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.600	65	51259	4.895	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	98.000%
7) Chloroethane-d5	1.919	69	42409	5.141	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	102.800%
11) 1,1-Dichloroethene-d2	2.571	65	21292	5.112	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	102.200%
20) 2-Butanone-d5	4.661	46	161639	52.108	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.220%
24) Chloroform-d	5.066	84	88450	4.812	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.200%
26) 1,2-Dichloroethane-d4	5.706	65	51077	5.103	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.000%
32) Benzene-d6	5.729	84	190345	5.090	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.800%
36) 1,2-Dichloropropane-d6	6.693	67	57509	5.122	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.400%
41) Toluene-d8	7.899	98	165580	4.837	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.800%
43) trans-1,3-Dichloroprop...	8.182	79	23698	4.806	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	96.200%
46) 2-Hexanone-d5	8.639	63	148224	50.765	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	101.540%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	54701	4.852	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.000%
66) 1,2-Dichlorobenzene-d4	12.195	152	62940	5.078	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.600%
Target Compounds					Qvalue	
42) Toluene	7.970	91	12305	0.344	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU011822\
Data File : VU046782.D
Acq On : 18 Jan 2022 14:59
Operator : SY/MD
Sample : VU0118WBL01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK050

Quant Time: Jan 19 07:35:02 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR011822WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jan 19 06:55:47 2022
Response via : Initial Calibration

