


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012021\
Data File : VU042129.D
Acq On : 21 Jan 2021 01:09
Operator : SY/MD
Sample : M1180-12
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F1E27

Manual Integrations
APPROVED

SAM
1/22/2021 2:20:24 PM

Quant Time: Jan 21 06:05:02 2021
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR012021WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jan 21 06:00:33 2021
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012021\
Data File : VU042129.D
Acq On : 21 Jan 2021 01:09
Operator : SY/MD
Sample : M1180-12
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F1E27

Manual Integrations
APPROVED

SAM
1/22/2021 2:20:24 PM

Quant Time: Jan 21 06:05:02 2021
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR012021WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jan 21 06:00:33 2021
Response via : Initial Calibration



TIC: VU042129.D\data.ms

(13) Acetone (T)

2.658min (+ 0.006) 1.18 ug/L

response 2043

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	27.90	39.89
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012021\
Data File : VU042129.D
Acq On : 21 Jan 2021 01:09
Operator : SY/MD
Sample : M1180-12
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F1E27

Manual Integrations
APPROVED

SAM
1/22/2021 2:20:24 PM

Quant Time: Jan 21 06:05:02 2021
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR012021WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jan 21 06:00:33 2021
Response via : Initial Calibration



TIC: VU042129.D\data.ms

(13) Acetone (T)

2.658min (+ 0.006) 2.63 ug/L m

response 4570

7 MD
02/03/21

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	27.90	17.83
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012021\
 Data File : VU042129.D
 Acq On : 21 Jan 2021 01:09
 Operator : SY/MD
 Sample : M1180-12
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F1E27

Manual Integrations
 APPROVED

SAM
 1/22/2021 2:20:24 PM

Quant Time: Jan 21 06:05:02 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR012021WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Jan 21 06:00:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	110754	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	103643	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.819	152	54558	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	32659	4.57	ug/L	0.00
Spiked Amount 5.000	Range 40 - 130		Recovery =	91.40%		
7) Chloroethane-d5	1.919	69	27351	4.75	ug/L	0.00
Spiked Amount 5.000	Range 65 - 130		Recovery =	95.00%		
11) 1,1-Dichloroethene-d2	2.572	63	55850	3.55	ug/L	0.00
Spiked Amount 5.000	Range 60 - 125		Recovery =	71.00%		
20) 2-Butanone-d5	4.649	46	154930	59.43	ug/L	0.00
Spiked Amount 50.000	Range 40 - 130		Recovery =	118.86%		
24) Chloroform-d	5.073	84	70694	4.74	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery =	94.80%		
26) 1,2-Dichloroethane-d4	5.710	65	44903	5.03	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery =	100.60%		
32) Benzene-d6	5.735	84	134540	4.97	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery =	99.40%		
36) 1,2-Dichloropropane-d6	6.700	67	44304	5.07	ug/L	0.00
Spiked Amount 5.000	Range 60 - 140		Recovery =	101.40%		
41) Toluene-d8	7.906	98	121309	4.74	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery =	94.80%		
43) trans-1,3-Dichloroprop...	8.186	79	21504	4.86	ug/L	0.00
Spiked Amount 5.000	Range 55 - 130		Recovery =	97.20%		
46) 2-Hexanone-d5	8.645	63	111944	58.10	ug/L	0.00
Spiked Amount 50.000	Range 45 - 130		Recovery =	116.20%		
57) 1,1,2,2-Tetrachloroeth...	10.764	84	40130	5.36	ug/L	0.00
Spiked Amount 5.000	Range 65 - 120		Recovery =	107.20%		
64) 1,2-Dichlorobenzene-d4	12.201	152	48641	4.96	ug/L	0.00
Spiked Amount 5.000	Range 80 - 120		Recovery =	99.20%		
Target Compounds						
3) Chloromethane	1.523	50	1767	0.19	ug/L	Qvalue 100
13) Acetone	2.658	43	4570m	2.63	ug/L	
25) Chloroform	5.089	83	1295	0.09	ug/L #	62
42) Toluene	7.977	91	2606	0.08	ug/L	93

7 MD
 02/03/21

(#) = qualifier out of range (m) = manual integration (+) = signals summed