

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012025\
 Data File : VU062916.D
 Acq On : 20 Jan 2025 13:54
 Operator : MD/SY
 Sample : Q1072-03
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GCQ87

Quant Time: Jan 21 02:41:35 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Jan 21 02:39:03 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.235	114	94824	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	89133	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	40806	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.592	65	18576	3.537	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	70.800%
7) Chloroethane-d5	1.901	69	18063	4.276	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	85.600%
11) 1,1-Dichloroethene-d2	2.557	65	10322	3.794	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	75.800%
20) 2-Butanone-d5	4.605	46	62592	58.314	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	116.620%
24) Chloroform-d	5.049	84	62112	4.807	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.200%
26) 1,2-Dichloroethane-d4	5.689	65	36744	5.243	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.800%
32) Benzene-d6	5.714	84	96774	4.442	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.800%
36) 1,2-Dichloropropane-d6	6.676	67	30220	5.003	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.000%
41) Toluene-d8	7.888	98	86815	4.090	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	81.800%
43) trans-1,3-Dichloroprop...	8.171	79	13487	4.479	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	89.600%
46) 2-Hexanone-d5	8.621	63	48684	51.405	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	102.800%
56) 1,1,2,2-Tetrachloroeth...	10.743	84	27884	5.512	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	110.200%
66) 1,2-Dichlorobenzene-d4	12.184	152	34869	5.136	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.800%
Target Compounds					Qvalue	
22) cis-1,2-Dichloroethene	4.660	96	2286	0.333	ug/L	# 77

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012025\
Data File : VU062916.D
Acq On : 20 Jan 2025 13:54
Operator : MD/SY
Sample : Q1072-03
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GCQ87

Quant Time: Jan 21 02:41:35 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Jan 21 02:39:03 2025
Response via : Initial Calibration

