

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012025\
 Data File : VU062928.D
 Acq On : 20 Jan 2025 18:46
 Operator : MD/SY
 Sample : Q1086-09
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AG4

Quant Time: Jan 21 02:44:24 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Jan 21 02:39:03 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.238	114	89959	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	72394	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	39156	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.592	65	16238	3.259	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	65.200%
7) Chloroethane-d5	1.904	69	15877	3.961	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	79.200%
11) 1,1-Dichloroethene-d2	2.557	65	8379	3.246	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	65.000%
20) 2-Butanone-d5	4.605	46	55438	54.443	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.880%
24) Chloroform-d	5.049	84	54308	4.430	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.600%
26) 1,2-Dichloroethane-d4	5.688	65	32219	4.846	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.000%
32) Benzene-d6	5.714	84	87111	4.923	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.400%
36) 1,2-Dichloropropane-d6	6.679	67	26496	5.400	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	108.000%
41) Toluene-d8	7.888	98	75868	4.400	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.000%
43) trans-1,3-Dichloroprop...	8.171	79	12036	4.921	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	98.400%
46) 2-Hexanone-d5	8.621	63	43196	56.156	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	112.320%
56) 1,1,2,2-Tetrachloroeth...	10.743	84	23683	5.764	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	115.200%
66) 1,2-Dichlorobenzene-d4	12.187	152	30363	4.661	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	93.200%
Target Compounds					Qvalue	
29) 1,1,1-Trichloroethane	5.303	97	15531	1.414	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012025\
 Data File : VU062928.D
 Acq On : 20 Jan 2025 18:46
 Operator : MD/SY
 Sample : Q1086-09
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AG4

Quant Time: Jan 21 02:44:24 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Jan 21 02:39:03 2025
 Response via : Initial Calibration

