

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012121\
 Data File : VU042143.D
 Acq On : 21 Jan 2021 12:11
 Operator : SY/MD
 Sample : VIBLK23
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK

Quant Time: Jan 22 02:46:11 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR012021WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jan 22 02:43:44 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.257	114	113015	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.424	117	105458	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.822	152	54166	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	32179	4.41	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	88.20%
7) Chloroethane-d5	1.916	69	27189	4.63	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.60%
11) 1,1-Dichloroethene-d2	2.572	63	56858	3.54	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.80%
20) 2-Butanone-d5	4.655	46	143477	53.94	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.88%
24) Chloroform-d	5.073	84	71827	4.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.40%
26) 1,2-Dichloroethane-d4	5.713	65	44652	4.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.00%
32) Benzene-d6	5.736	84	135996	4.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.80%
36) 1,2-Dichloropropane-d6	6.700	67	43966	4.95	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.00%
41) Toluene-d8	7.906	98	124029	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.20%
43) trans-1,3-Dichloroprop...	8.186	79	21513	4.78	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	95.60%
46) 2-Hexanone-d5	8.645	63	103198	52.64	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	105.28%
57) 1,1,2,2-Tetrachloroeth...	10.764	84	38710	5.08	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.60%
64) 1,2-Dichlorobenzene-d4	12.202	152	49073	5.04	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.80%
Target Compounds						
34) Trichloroethene	6.549	95	1025	0.12	ug/L	Qvalue 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012121\
Data File : VU042143.D
Acq On : 21 Jan 2021 12:11
Operator : SY/MD
Sample : VIBLK23
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK


Quant Time: Jan 22 02:46:11 2021
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR012021WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jan 22 02:43:44 2021
Response via : Initial Calibration





#34
 Trichloroethene
 Concen: 0.12 ug/L
 RT: 6.549 min Scan# 1620
 Delta R.T. 0.000 min
 Lab File: VU042143.D
 Acq: 21 Jan 2021 12:11

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK



Tgt Ion:	95	Resp:	1025
Ion	Ratio	Lower	Upper
95	100		
97	75.8	44.4	82.4
132	102.0	68.0	126.4
130	98.9	69.2	128.4

