

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012125\
 Data File : VU062938.D
 Acq On : 21 Jan 2025 13:47
 Operator : MD/SY
 Sample : Q1086-16DL2 1000X
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AF7DL2

Quant Time: Jan 22 02:22:37 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jan 22 02:20:07 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.238	114	91556	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.405	117	82201	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	39938	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	17135	3.379	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	67.600%
7) Chloroethane-d5	1.904	69	17267	4.233	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	84.600%
11) 1,1-Dichloroethene-d2	2.557	65	7315	2.785	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	55.600%#
20) 2-Butanone-d5	4.605	46	61154	59.008	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	118.020%
24) Chloroform-d	5.049	84	58258	4.670	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.400%
26) 1,2-Dichloroethane-d4	5.689	65	33357	4.929	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.600%
32) Benzene-d6	5.714	84	91533	4.555	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.200%
36) 1,2-Dichloropropane-d6	6.676	67	25529	4.582	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.600%
41) Toluene-d8	7.888	98	70827	3.618	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	72.400%
43) trans-1,3-Dichloroprop...	8.171	79	11997	4.320	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.400%
46) 2-Hexanone-d5	8.618	63	34618	39.635	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	79.280%
56) 1,1,2,2-Tetrachloroeth...	10.743	84	25954	5.563	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	111.200%
66) 1,2-Dichlorobenzene-d4	12.183	152	33360	5.021	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.400%
Target Compounds					Qvalue	
29) 1,1,1-Trichloroethane	5.303	97	25456	2.042	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012125\
Data File : VU062938.D
Acq On : 21 Jan 2025 13:47
Operator : MD/SY
Sample : Q1086-16DL2 1000X
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AF7DL2

Quant Time: Jan 22 02:22:37 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jan 22 02:20:07 2025
Response via : Initial Calibration

