

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012125\
 Data File : VU062935.D
 Acq On : 21 Jan 2025 11:41
 Operator : MD/SY
 Sample : VU0121WBL01
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK148

Quant Time: Jan 22 02:21:51 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jan 22 02:20:07 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.238	114	91035	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	73228	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	39628	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	18461	3.662	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	73.200%
7) Chloroethane-d5	1.904	69	16851	4.155	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	83.000%
11) 1,1-Dichloroethene-d2	2.557	65	10322	3.952	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	79.000%
20) 2-Butanone-d5	4.605	46	63465	61.589	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	123.180%
24) Chloroform-d	5.049	84	61691	4.973	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.400%
26) 1,2-Dichloroethane-d4	5.692	65	35940	5.342	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	106.800%
32) Benzene-d6	5.714	84	99032	5.532	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	110.600%
36) 1,2-Dichloropropane-d6	6.679	67	30132	6.071	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	121.400%
41) Toluene-d8	7.888	98	83933	4.813	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.200%
43) trans-1,3-Dichloroprop...	8.174	79	13923	5.628	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	112.600%
46) 2-Hexanone-d5	8.621	63	30941	39.766	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	79.540%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	21067	5.069	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.400%
66) 1,2-Dichlorobenzene-d4	12.183	152	34649	5.255	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	105.200%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012125\
Data File : VU062935.D
Acq On : 21 Jan 2025 11:41
Operator : MD/SY
Sample : VU0121WBL01
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK148

Quant Time: Jan 22 02:21:51 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jan 22 02:20:07 2025
Response via : Initial Calibration

