

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012125\
 Data File : VU062942.D
 Acq On : 21 Jan 2025 15:22
 Operator : MD/SY
 Sample : Q1086-16DL 200X
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AF7DL

Quant Time: Jan 22 02:23:40 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jan 22 02:20:07 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.239	114	78134	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	71895	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	34886	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	11615	2.684	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	53.600%
7) Chloroethane-d5	1.904	69	11956	3.435	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	68.600%
11) 1,1-Dichloroethene-d2	2.557	65	7836	3.495	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.000%
20) 2-Butanone-d5	4.605	46	48438	54.767	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	109.540%
24) Chloroform-d	5.049	84	51487	4.836	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.800%
26) 1,2-Dichloroethane-d4	5.689	65	31478	5.451	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	109.000%
32) Benzene-d6	5.714	84	75885	4.318	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.400%
36) 1,2-Dichloropropane-d6	6.679	67	22972	4.714	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.200%
41) Toluene-d8	7.888	98	71234	4.160	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.200%
43) trans-1,3-Dichloroprop...	8.171	79	11747	4.836	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	96.800%
46) 2-Hexanone-d5	8.618	63	37513	49.107	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.220%
56) 1,1,2,2-Tetrachloroeth...	10.743	84	22652	5.551	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	111.000%
66) 1,2-Dichlorobenzene-d4	12.184	152	30847	5.315	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.200%
Target Compounds					Qvalue	
29) 1,1,1-Trichloroethane	5.303	97	121225	11.116	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012125\
Data File : VU062942.D
Acq On : 21 Jan 2025 15:22
Operator : MD/SY
Sample : Q1086-16DL 200X
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AF7DL

Quant Time: Jan 22 02:23:40 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR010225WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jan 22 02:20:07 2025
Response via : Initial Calibration





1,1,1-Trichloroethane
 Concen: 11.116 ug/L
 RT: 5.303 min Scan# 12
 Delta R.T. -0.000 min
 Lab File: VU062942.D
 Acq: 21 Jan 2025 15:22

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AF7DL

Tgt Ion:	97	Resp:	121225
Ion	Ratio	Lower	Upper
97	100		
99	64.8	52.4	78.6
61	38.2	32.2	48.4

